



ITW AAMTECH
Automotive AfterMarket Technologies

Product Catalogue 2020



Contents

Welcome	3
Brands	5
Top Products & Selector Chart links	6
Car Care	7
Workshop Cleaning	13
Paint & Panel	20
Additives	29
Radiator Coolants & Additives	35
Adhesives & Sealants	40
Gasketing & Thread Compounds	44
Specialised Maintenance & Repair	53
Tyre Repair & Accessories	59
Heavy Duty Cleaning	67
Hygiene	70
Hand & Skin Care	78
Boat & Van	85



Welcome.



How to Order

Phone: 1800 177 989

Email: sales@aamtech.com.au


Technical Information

General enquiries simply click here

[Contact us](#)

ITW AAMTech makes every effort to maintain the accuracy and quality of the information provided in this catalogue. From time to time, products may be added or deleted from our range as required. ITW AAMTech cannot guarantee and assumes no legal liability or responsibility for the accuracy or completeness of the information provided. The information contained in this catalogue is for general guidance only. You should neither act, nor refrain from action, on the basis of any such information. You should seek appropriate professional advice on your particular circumstances because the application of our products may vary depending on particular circumstances. The copyright of all content in this catalogue is owned by ITW AAMTech and/or the various manufacturers of our equipment. No part of the ITW AAMTech catalogue may be changed, reproduced, stored in or transmitted on any website or medium without the prior written permission of ITW AAMTech. Requests to republish any material must be sent to sales@aamtech.com.au. In case of any questions or remarks, feel free to contact us.

Brands.





For 110 years Permatex has been providing innovative chemical repair products for both professional mechanics and home enthusiasts alike. With popular products like The Right Stuff®, Fast Orange® and Form-a-Gasket®, you are assured of the best performing products for any job.



www.septone.com.au



Septone is an Australian brand which caters to the Automotive (trade & retail), Industrial, Marine, Fleet, and Hardware markets. Established on September 1, 1943, Septone has a long history in the Australian market and has built a reputation for great Australian made products.



www.wynns.net.au



Wynn's is a worldwide leading brand of innovative automotive specialty chemicals & service equipment in the DIY and DIFM markets. In the automotive retail space, Wynn's is well known for its quality range of vehicle additives & treatments.



www.rainx.com



Rain-X® provides drivers with products to help them Outsmart the Elements™. With our Original Glass Treatment water beading technology, Rain-X leads the automotive aftermarket in glass care. All Rain-X products are designed to help keep our customers a step ahead of Mother Nature on the road.



Trusted since 1970, The Original Fix-A-Flat Aerosol tyre inflators are the cheapest and quickest way to repair a flat tyre in an emergency. Fix-A-Flat was invented in 1970 by Snap Products and became the first emergency aerosol flat tyre sealant and inflator. With a name that says exactly what it does, Fix-A-Flat has become a household name and continues to dominate the aerosol tire inflator market to this day.



www.chemtech.net.au



The Chemtech range has been developed to meet the demands of extreme climatic and environmental conditions faced by Australian vehicle owners. Used extensively by Professional Detailing, Heavy Vehicle Trade, Car, 4WD & Truck enthusiasts for over 20 years, the range is well known as a gutsy, no nonsense, down to earth, value for money, quality brand of products that consistently work!



www.tectaloy.com.au



The Tectaloy brand has been providing quality coolants for vehicles Australia wide since 1952 and now also throughout major automotive retailers in New Zealand. We manufacture quality Anti-Freeze concentrates, Pre-Mix Ready to Use coolants, & corrosion inhibitor concentrates to suit passenger & performance vehicles, light truck, heavy duty & stationary engines.



www.slime.com



Since 1989, Slime has been committed to providing our customers with high quality, innovative tyre care products. As the worldwide leading brand in tyre care, we offer a complete line that allows us to present retailers and distributors with a category solution, while giving customers the tools they need to care for their tyres, save money, & stay safe.

SIMPLY CLICK ON THE IMAGE OR TEXT FOR INSTANT ACCESS



[>>> WORKSHOP CLEANING SELECTOR CHART <<<](#)

[>>> GASKETING SELECTOR CHART <<<](#)

[>>> THREADLOCKER SELECTOR CHART <<<](#)

[>>> PUNCTURE PREVENTION SELECTOR CHART <<<](#)

[>>> HYGIENE SELECTOR CHART <<<](#)

[>>> HAND & SKIN CARE SELECTOR CHART <<<](#)

Car Care.



Chemtech® CT18 Superwash



Description: Chemtech CT18 Superwash is a concentrated multi-purpose powerful cleaning gel that breaks down and removes the toughest dirt, mud, grease, oil film, grime, soot and bugs, leaving a streak-free sparkling clean finish. Chemtech CT18 Superwash is excellent for cleaning all types of vehicles and can be applied using a sponge, pressure washer, foaming gun or sprayer.

Features & Benefits:

- Biodegradable and rapid emulsion break
- pH Neutral, safe on paintwork
- Inhibits rust and corrosion
- Cleans most washable surfaces including aluminium, brass, copper, glass, plastic, vinyl & rubber

Area of Application:

- Trucks, 4WD's, Cars, Motorcycles, Boats & Caravans
- Transport and Marine equipment
- Windows & building exteriors



Product No.	Pack Size	Carton QTY.
CT18-1L	1 L	12
CT18-5L	5 L	4
CT18-20L	20 L	Each
CT18-200L	200 L	Each

Chemtech® RL18 Super Blue Truck Wash



Description: Chemtech RL18 Super Blue Truck Wash is a value for money concentrated, biodegradable, cleaning detergent, used to clean trucks, trailers, boats, cars and caravans. Its powerful formulation works fast to clean tough grease, grime, red dust, bugs, oil and soot with minimal streaking. Can be applied using a sponge, pressure washer foaming gun or sprayer.

Features & Benefits:

- pH Neutral, safe on paintwork
- Biodegradable, non-toxic, non-caustic
- Contains rust inhibitor
- Safe to use on aluminium, brass, copper, glass, plastic, rubber and vinyl

Area of Application:

- Vehicle exteriors
- Transport equipment
- Marine exteriors and equipment
- Greasy overalls and apparel



Product No.	Pack Size	Carton QTY.
RL18-5L	5 L	4
RL18-20L	20 L	Each
RL18-200L	200 L	Each

Septone® TW20 Truck Wash



Description: Septone TW20 Truck Wash is a concentrated non-toxic, non-caustic, heavy duty, biodegradable detergent with a pH balanced formula. It is highly effective in removing dirt, mud, road grime, oil and exhaust soot and safely cleans most washable surfaces including paintwork, chrome, rubber, glass, aluminium and fibreglass. Can be applied using a sponge, pressure washer, foaming gun or sprayer

Features & Benefits:

- Biodegradable and rapid emulsion break
- pH Neutral, paintwork safe
- Works quickly and rinses freely
- Leaves a sparkling streak-free finish

Area of Application:

- Vehicle and Trailer exteriors
- Boats, Caravans & Motorcycles
- Transport & Marine equipment
- Windows & building exteriors

Product No.	Pack Size	Carton QTY.
ATTW5	5 L	4
ATTW20	20 L	Each
ATTW200	200 L	Each



Septone® Blue Heeler Truck Wash



Description: Septone Blue Heeler Truck Wash is an economical, non-caustic, biodegradable cleaning detergent, designed to effectively clean without damaging paintwork. It's pH neutral formula safely cleans most washable hard surfaces including aluminium, plastic and rubber leaving a sparkling clean finish. Can be applied using a sponge or high-pressure washer.

Features & Benefits:

- Biodegradable, non-toxic, non-caustic
- pH Neutral, Paintwork safe
- Cleans quickly, rinses easily

Area of Application:

- Vehicle and Trailer exteriors
- Boats, Caravans and Motorcycles
- Transport and Marine equipment

Product No.	Pack Size	Carton QTY.
ATBH20	20 L	Each
ATBH200	200 L	Each
ATBH1000	1000 L	Each





CT20 Wash 'N' Wax

Description: Chemtech CT20 Wash 'N' Wax is a concentrated rich gel that has been specially formulated to gently break through tough road grime while leaving a streak-free, mirror like sheen on all vehicles. CT20 contains a special blend of cleaning agents including rust inhibitors, and its premium wax leaves a protective coating on the surface. Can be applied using a sponge, pressure washer, foam gun or sprayer.

Features & Benefits:

- Biodegradable, non-caustic
- Protects from rust
- Safe for all painted metallic finish and clear coated surfaces
- Leaves a streak free protective wax coating

Area of Application:

- Transport Vehicles and Buses
- Cars, Caravans, Boats and Motorcycles

Product No.	Pack Size	Carton QTY.
CT20-1L	1 L	12
CT20-5L	5 L	4
CT20-20L	20 L	Each
CT20-200L	200 L	Each



Shield Interior Protectant



Description: Chemtech Shield Interior Protectant rejuvenates and protects all types of interior plastic, vinyl and rubber surfaces while leaving a pleasant floral fragrance. Applies a protective and conditioning coating to help protect the surface from fading or cracking keeping it supple and looking like new.

Features & Benefits:

- Ready to use formula
- Deodorises and freshens interior
- Non-oily, long lasting finish
- Revives and beautifies surfaces
- Also effective on exterior trim and plastic bumper bars

Area of Application:

- Dashboards, door panels, window trims, consoles and vinyl seats
- Exterior trim and plastic bumper bars
- Home/Office use – Handbags, Luggage

Product No.	Pack Size	Carton QTY.
SPV-500M	500 mL Trigger	12
SPV-5L	5 L	4
SPV-20L	20 L	Each



Armour Cologne



Description: Septone Armour Cologne is a fragranced interior surface rejuvenator which protects and beautifies leather, vinyl, rubber, acrylics and plastics by restoring natural shine and colour of the original material. It contains high level silicone polymers to produce a long lasting gloss finish which repels water.

Features & Benefits:

- Ready to use formula
- Cleans, protects and revives vehicle interior surfaces
- Pleasant deodorising fragrance
- Long lasting, water repellent finish
- Also effective on exterior trim and plastic bumpers

Area of Application:

- Automotive interiors – dashboards, consoles, door trims
- Marine - Vinyl & leather upholstery and consoles
- Home/Office use - Vinyl and leather upholstery, Handbags & Luggage

Product No.	Pack Size	Carton QTY.
AVAC750	750 mL Trigger	12
AVAC5	5 L	4
AVAC20	20 L	Each



SEPTONE Magic Shine

Description: Septone Magic Shine is a solvent based exterior surface rejuvenator which protects, revives and beautifies leather, vinyl, rubber and plastics. Magic Shine's high level silicone polymers penetrate deeply into the surface to restore the natural shine, feel and colour of the original material producing a durable wet-look gloss finish.

Features & Benefits:

- Ready to use formula
- Excellent water resistance
- Minimal dirt pick-up
- Provides a deep long lasting shine

Area of Application:

- Automotive/ Transport Vehicles -Tyres, mud flaps, plastic bumpers and trims
- Marine – Leather and vinyl upholstery, and canopies

Product No.	Pack Size	Carton QTY.
AVMS4	4 L	4
AVMS20	20 L	Each



SEPTONE Tyre Sheen

Description: Septone Tyre Sheen is a silicone free water-based tyre rejuvenator designed for fast easy one step application by atomiser spray. It produces a natural black appearance and revives the look of all tyres, rubber surfaces and black vinyl bumper bars.

Features & Benefits:

- Paint shop safe
- Easy one-step application
- Minimal dirt pick-up

Area of Application:

- Tyres, exterior rubber and vinyl surfaces
- Ideal for vehicle detailing and refinish shops

Product No.	Pack Size	Carton QTY.
AVTS20	20 L	Each



rain-x Original Glass Water Repellent

Description: Rain-X® Original Glass Water Repellent uses the patented water beading technology to dramatically improve wet weather visibility by repelling rain. Apply the water beading treatment to vehicle exterior glass and the raindrops will fly off the windshield while driving.

Features & Benefits:

- Easy application
- Repels rain and sleet
- Helps remove frost, ice and bugs
- Improves driving visibility
- Keeps glass cleaner for longer

Area of Application:

- Exterior glass vehicle windcreens and windows
- Exterior glass marine windshields
- Also effective on home windows

Note: Not suitable for use on Plastic surfaces

Product No.	Pack Size	Carton QTY.
800002242	103 mL	10
800002243	207 mL	12
800002250	473 mL Trigger	6



rain-x Washer Fluid Additive

Description: Rain-X® Washer Fluid Additive quickly and easily applies the patented water beading technology to vehicle windcreens. Add Washer Fluid Additive to the water in the windscreen washer reservoir to renew the water treatment and enhance driving visibility and comfort.

Features & Benefits:

- Easily and instantly applies Rain-X® water beading technology to the windscreen
- Makes windshield cleaning easy
- Keeps glass cleaner for longer
- Improves driving visibility

Area of Application:

- Automotive, 4WD's, Transport Vehicles, Trucks and Buses
- 120mL will treat 4L of plain water or washer fluid in washer tank

Product No.	Pack Size	Carton QTY.
RX11806D	500 mL	8



rain-x 2-In-1 Glass Cleaner

Description: Rain-X® 2-In-1 Glass Cleaner + Rain Repellent offers the quick and easy solution to driving visibility. The ready to use formula in a handy trigger pack, cleans the glass surface and applies the patented water beading technology in one easy step.

Features & Benefits:

- Easy application, spray on, wipe off
- Cleans automotive glass leaving a streak-free finish
- Repels rain, the water beads away while driving
- Keeps glass cleaner for longer

Product No.	Pack Size	Carton QTY.
5071268	680 mL Trigger	6

Area of Application:

- Exterior glass, vehicle windscreens and windows
- Exterior glass, marine windshields
- Also effective on home windows



rain-x Interior Glass Anti-Fog

Description: Rain-X® Interior Glass Anti-Fog prevents interior glass fogging and steaming instantly, removing smoke residue at the same time. Anti-Fog is suitable for use on Automotive and Marine interior glass and all mirrored surfaces.

Features & Benefits:

- Easy to apply
- For all glass and mirrored surfaces
- Suitable for Automotive, Marine and Home use
- Improves driving visibility
- Removes smoke residue

Product No.	Pack Size	Carton QTY.
BCAF21112	103 mL	10
630046	355 mL Trigger	6

Area of Application:

- Automotive and Marine interior glass & mirrors
- Bathroom mirrors



rain-x X-treme Clean Glass Cleaner

Description: Rain-X® X-treme Clean removes harsh build-up from windshields and helps restore headlights by removing haze and discoloration, for optimum driving visibility. The formula renews glass and plastic quickly and easily, removing dirt, bugs, and road grime for an ultimate, streak-free clean.

Features & Benefits:

- Gently removes heavy residue, dirt, bugs, film and road grime from windshields and glass
- Restores headlights and clear plastic
- Improves driving visibility and wiper blade performance
- Ideal windshield preparation for Glass Water Repellent

Product No.	Pack Size	Carton QTY.
5080217	355 mL	6

Area of Application:

- Automotive maintenance
- Windscreens, Headlights



rain-x Automotive Glass Cleaner

Description: Rain-X® Automotive Glass Cleaner delivers automotive strength cleaning for glass and mirrors leaving a streak-free, clean shine. The concentrated formula is safe for permanently tinted windows and quickly cuts through dirt, bug residue and road grime on exterior glass and removes smoke film and grime from interior glass.

Features & Benefits:

- Ready to use
- Safe for permanently tinted windows
- Automotive strength
- Leaves a sparkling clean finish

Product No.	Pack Size	Carton QTY.
630018	680 mL	6

Area of Application:

- Automotive exterior or interior cleaning
- Glass windows and mirrors

Workshop Cleaning.

Chemtech
MADE TO WORK

SEPTONE



Chemtech® CT14 Engine & Bilge Degreaser



Description: Chemtech CT14 is a powerful water based degreaser that converts oil and grease into a water soluble product. It is excellent for use on engines, engine parts, machinery, tools, benches, bikes, motor mowers and bilges. Chemtech CT14 is non-toxic, non-flammable and does not contain hydrocarbons.

Features & Benefits:

- Concentrated formula
- Removes oil, grease, dirt & grime
- Hydrocarbon solvent free
- Won't promote rust
- Safe on plastic, rubber, glass, most metals & alloys

Area of Application:

- Trade or DIY use
- Automotive and marine
- Engine parts and tools
- Driveways

Product No.	Pack Size	Carton QTY.
CT14-1L	1 L	12
CT14-5L	5 L	4
CT14-20L	20 L	EACH
CT14-200L	200 L	EACH



Chemtech® Shock Treatment



Description: Chemtech Shock Treatment is an economical, biodegradable, water based, concentrate degreaser. It is suitable for all types of engines, equipment parts and driveways and is safe to use on plastic, rubber, glass and most metals and alloys.

Features & Benefits:

- Concentrate formula
- Biodegradable
- Non-flammable, solvent free
- Won't promote rust
- Safe on plastic, rubber, glass, most metals & alloys

Area of Application:

- Trade or DIY use
- Engine parts and tools
- Driveways
- Brush, sponge, spray, degreasing gun, high pressure washer

Product No.	Pack Size	Carton QTY.
STR-5L	5 L	4
STR-20L	20 L	EACH
STR-200L	200 L	EACH



Chemtech® Workshop Heavy Duty Degreaser



Description: Chemtech Workshop Heavy Duty Degreaser is a ready to use, water based, biodegradable, degreaser that converts oil & grease into a water soluble solution. Great in the workshop or home for engines, lube bays, walls and concrete floors.

Features & Benefits:

- Ready to use
- Water based formula
- Biodegradable, Quick Break
- Dilute 1:10 with water for light degreasing

Area of Application:

- Trade or DIY use
- Engine parts and lube bays
- Walls & concrete floors
- Brush/Spray on, hose off

Product No.	Pack Size	Carton QTY.
CWD-5L	5 L	4
CWD-20L	20 L	EACH
CWD-200L	200 L	EACH



Septone® Degrease-It



Description: Septone Degrease-It is a heavy duty, concentrated, water based degreaser. Its solvent free formulation removes heavy deposits of grease, oil and grime from machinery, engines, concrete floors and most badly soiled substrates.

Features & Benefits:

- Concentrated formula
- Removes oil, grease & grime
- Hydrocarbon solvent free
- Biodegradable, non-toxic
- Safe on plastic, rubber, glass, most metals & alloys

Area of Application:

- Trade or DIY use
- Automotive and marine
- Engine parts and tools
- Driveways

Product No.	Pack Size	Carton QTY.
ADDI5	5 L	4
ADDI20	20 L	EACH
ADDI200	200 L	EACH





SEPTONE Ali Brite Aluminium Cleaner

Description: Septone Ali Brite is an etching acid type cleaner designed primarily for cleaning of aluminium in industrial situations. It removes corrosion and oxide films with minimal attack on the substrate and it effectively cleans stainless steel. Septone Ali Brite is commonly used to clean aluminium trailer bodies, tanks, bull bars and dinghies.

- Features & Benefits:**
- Concentrate formula
 - Acid etch cleaner
 - Removes corrosion & oxide film
 - Leaves surface clean for polishing

- Area of Application:**
- Transport/marine use
 - Aluminium & stainless steel surfaces
 - Apply by spray, broom, sponge

Product No.	Pack Size	Carton QTY.
ATA1	1 L	6
ATA5	5 L	4
ATA20	20 L	EACH



SEPTONE Degrease All

Description: Septone Degrease-All is a heavy duty, ready to use biodegradable, water based degreaser, formulated to penetrate and cut through and remove grease, oil, dirt and grime from machinery, engines, lawn mowers, outboards, concrete and floors.

- Features & Benefits:**
- Ready to use
 - Water based formula
 - Biodegradable, Quick Break
 - Hydrocarbon solvent free
 - Safe on most surfaces excluding alloy and aluminium

- Area of Application:**
- Trade or DIY use
 - Engine parts, machinery, tools
 - Lawn mowers, outboard motors
 - Brush/Spray on, hose off

Product No.	Pack Size	Carton QTY.
ADDA5	5 L	4



SEPTONE Oilsolve Degreaser

Description: Septone Oilsolve Degreaser is a heavy duty, 100% rapid emulsion break, solvent based degreasing cleaning fluid. It emulsifies and removes grease, oil dirt and grime from vehicle engines, motorbikes, tools, turbines, lube floors and wall, driveways and boat bilges. Oilsolve will not cause streaking and is free-rinsing.

- Features & Benefits:**
- Ready to use
 - Emulsifies and removes oil, grease & grime
 - Free-rinsing
 - Rapid emulsion Break
 - Safe on paint, steel, aluminium, chrome, vinyl, rubber, glass and most plastics

- Area of Application:**
- Trade or DIY use
 - Automotive and marine
 - Engine parts and tools
 - Driveways
 - Brush/Spray on, hose, pressure clean off

Product No.	Pack Size	Carton QTY.
ADO20	20 L	EACH
ADO200	200 L	EACH



SEPTONE Superclene Citrus Cleaner / Degreaser

Description: Septone Superclene is a heavy duty general purpose, citrus cleaner/degreaser. Its combination of biodegradable natural orange oil extract, surfactants and powerful builders provide excellent cleaning performance for almost any application, including degreasing and as a heavy duty wash, for vehicles, workshop floors and trawlers.

- Features & Benefits:**
- Concentrate formula
 - Citrus based
 - Biodegradable,
 - Caustic free
 - Versatile cleaner and degreaser

- Area of Application:**
- Trade or DIY use
 - Vehicle, Workshop floors, trawler, hard surface wash
 - Hard surface degreasing
 - Brush/Spray on, hose, pressure clean off

Product No.	Pack Size	Carton QTY.
HSS5	5 L	3
HSS20	20 L	EACH
HSS200	200 L	EACH



SEPTONE HPH-11 Degreaser

Description: Septone HPH-11 Degreaser is a non-toxic, non-caustic, biodegradable, heavy-duty degreasing detergent with a pH of 11. It removes dirt, grime, oil and exhaust soot and rinses easily without causing streaking. Septone HPH-11 Degreaser safely cleans most metallic surfaces including chrome and aluminium, glass, fibreglass, rubber, tarpaulins, vinyl and most washable surfaces.

Features & Benefits:

- Concentrate formula
- Biodegradable,
- Non-toxic, non-caustic
- Cleans and degreases
- Rinses easily

Area of Application:

- Trade/Professional use
- Mining, agriculture
- Heavy equipment, trucks, vehicles, machinery
- Sponge/mop/high pressure clean off

Product No.	Pack Size	Carton QTY.
DHPHD200	200 L	EACH
DHPHD1000	1000 L	EACH



SEPTONE Wax & Grease Remover

Description: Septone Wax & Grease Remover is a unique blend of solvents which effectively removes silicone, wax, polish, grease, oil, tar, bugs and road grime from a vehicle's exterior paintwork. It may also be used to remove gum and adhesive tape residue from vehicles and other solvent resistant surfaces.

Features & Benefits:

- Ready to use
- Automotive pre-painting cleaner
- Prevents fish eyes
- Removes gum and adhesive
- Hard surface cleaning solvent

Area of Application:

- Trade or DIY use
- Automotive paint refinish preparation
- Hard surfaces

Product No.	Pack Size	Carton QTY.
AAWG400	400 g	12
ASWG1	1 L	12
ASWG4	4 L	4
ASSR20	20 L	Each



SEPTONE All Purpose Thinner

Description: Septone All Purpose Thinner is formulated for thinning Acrylic and Nitrocellulose Lacquers, Primer Surfacer and other products requiring an acrylic or lacquer thinner. It can also be used for cleaning, paint equipment and brushes.

Features & Benefits:

- General purpose thinner
- Acrylic, Nitrocellulose lacquers, primers, spray putties
- Paint remover and spot cleaner
- Cleans brushes & equipment

Area of Application:

- Trade or DIY use
- Automotive single pack paints
- Spot cleaning

Product No.	Pack Size	Carton QTY.
ASAP4	4 L	4
ASAP20	20 L	Each



SEPTONE Parts Wash

Description: Septone Parts Wash is an economical solvent cleaner with a high flash point, especially suited for use in industrial parts washers. It will degrease and clean many hard surfaces including metals of most greases, oils and light deposits of gums and varnishes, and then evaporates to dryness.

Features & Benefits:

- High Flash Point 65 C
- Air dries
- Removes grease, oils, gums & varnish
- Safe on all metals

Area of Application:

- Trade use
- Immersion Tanks/Parts washer

Product No.	Pack Size	Carton QTY.
ADPW20	20 L	Each



Blitz Aluminium Cleaner

Description: Chemtech Blitz is a unique formulation specifically designed for the effective cleaning of any Aluminium or Stainless applications such as Intercoolers, Turbo Chargers, Valve Covers, Radiators, Bull Bars, Dinghies, Side Steps in part preparation of a high gloss finish.

Features & Benefits:

- Concentrate formula
- Acid etch cleaner
- Removes corrosion & oxide film
- Leaves surface clean for polishing

Area of Application:

- Transport/marine use
- Aluminium & stainless steel surfaces
- Apply by spray, broom, sponge

Product No.	Pack Size	Carton QTY.
CBZ-1L	1 L	6
CBZ-5L	5 L	4
CBZ-20L	20 L	EACH



PRODUCT TYPE

PH LEVEL

CODES, PACK SIZES

DIRT, SOOT & ROAD GRIME

HEAVY DUTY GREASE, OIL, FUEL & CARBON

BLACKJACK GREASE

WATER & ALKALINE BASED

WATER & CITRUS D-LIMONENE BASED

SOLVENT BASED

CONCRETE

PAINTED VEHICLE SURFACES

SOFT METALS & ALLOYS

S/STEEL, CAST IRON & FERROUS METALS

ALKALINE	ALKALINE	CITRUS			ALKALINE	SOLVENT	SOLVENT
13	13	12	>13	>13	11	-	-
ADDI200	CT14-200L	HSS200	STR-5L	CWD-5L	DHPH1000		
ADDI20	CT14-20L	HSS20	STR-20L	CWD-20L	DHPH200	ADO200	
ADDI5	CT14-5L	HSS5	STR-200L	CWD-200L		ADO20	ADPW20
SOILS							
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
						✓	✓
BASE FORMULATIONS							
✓	✓		✓	✓	✓		
		✓					
						✓	✓
SURFACES							
✓	✓	✓	✓	✓		✓	✓
		✓			✓	✓	✓
		✓			✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓

Paint & Panel.

SEPTONE



Septone® Car Filler

SEPTONE

Description: Septone Car Filler is a lightweight polyester body filler designed to fill dents, cracks or holes. It is ideal for repairs to vehicles, boats, trailers, caravans, brickwork, concrete, guttering, furniture and many other repairs. It provides excellent adhesion over mild steel, stainless steel, aluminium, fibreglass, timber and cement.

Features & Benefits:

- Easy to apply, no sag
- Great sanding and feather-edging
- Formulated to reduce pin-holing
- Bonds to a wide range of substrates

Area of Application:

- Trade and Handyman use
- Motor vehicle and metal panels
- Suitable for marine repair prior to coating

Product No.	Pack Size	Carton QTY.
ABCF500	500 g	12
ABCF1	1 Kg	12
ABCF25	2.5 Kg	6



Septone® 2K Tech Body Filler

SEPTONE

Description: Septone 2K Tech Body Filler is a high quality lightweight body filler, compatible with most paint systems. It's easy to apply with no sag at high build and is manufactured under vacuum to reduce pinholing. 2K Tech bonds to mild steel, stainless steel, aluminium, fibreglass, timber and cement.

Features & Benefits:

- Creamy texture for easy no sag application
- Minimal surface tack, easy sanding
- Good feather-edging
- Bonds to a wide range of substrates

Area of Application:

- Trade and Handyman use
- Automotive and metal panels
- Suitable for Marine repair prior to coating

Product No.	Pack Size	Carton QTY.
AB2T4	4 Kg	4
AB2T16	16 Kg	Each
AB2T20	20 Kg	Each



Septone® Edge UltraSand



Description: Septone Edge UltraSand is a superior body filler formulated using the latest technology. It provides un-paralleled sanding qualities and exceptional self-levelling ultra-smooth finish, eliminating the need for finishing putty from repair processes. It provides superior adhesion over a wide range of substrates including steel, galvanised & zinc coated steel, SMC and aluminium.

Features & Benefits:

- Ultra easy application
- Self-levelling ultra smooth finish
- Exceptional sanding using 80 Grit
- Superior adhesion to a wide range of substrates
- Reduces panel repair time

Area of Application:

- Automotive and metal panels
- Suitable for cosmetic fibreglass repairs
- Compatible with all paint systems

Product No.	Pack Size	Carton QTY.
ABEUS3	3 L	4



Septone® Edge RapidSand



Description: Septone Edge RapidSand is a premium quality lightweight body filler, formulated for easy application. Its self-levelling smooth finish reduces panel repair time and abrasive costs. Septone Edge RapidSand provides excellent adhesion across a wide range of substrates, including steel, galvanised & zinc coated steel, SMC, aluminium.

Features & Benefits:

- Fast, easy application
- Self-levelling smooth finish
- Easy sanding and great feather-edging
- Reduced panel repair time
- Excellent adhesion to a wide range of substrates

Area of Application:

- Automotive and metal panels
- Suitable for cosmetic fibreglass repairs
- Compatible with all paint systems

Product No.	Pack Size	Carton QTY.
ABERS3	3 L	4





SEPTONE Metal Tech

Description: Septone Metal Tech is a stainless steel and fibreglass reinforced patching compound designed to repair holes, cracks, dents and rust outs in motor vehicles, caravans, trailers, boats and guttering. It is easy to use and adheres strongly to metal and aluminium panels, fibreglass, timber and plaster.

Features & Benefits:

- Super strong repairs
- Fast setting
- Resists shrinkage
- Waterproof when fully cured
- Adheres to a wide range of substrates

Product No.	Pack Size	Carton QTY.
ABMT500	500 g	12
ABMT1	1 Kg	12

Area of Application:

- Trade or Handyman use
- Automotive, leisure craft and home repairs
- For large cracks, holes and dents



SEPTONE Blade Putty

Description: Septone Blade Putty is a heavy bodied, ready to use, single pack, nitrocellulose based putty for automotive and industrial applications. It is suitable for use under acrylic paints and is designed to fill scratches and minor indentations while smoothing out surface flaws in vehicle bodywork.

Features & Benefits:

- Ready to use, easy application
- Single Pack nitrocellulose based
- Fast drying
- Fills small scratches and minor imperfections

Product No.	Pack Size	Carton QTY.
ARBP375	375 g	6

Area of Application:

- Trade or Handyman use
- Automotive re-finish
- Industrial repairs
- Compatible with acrylic paints



SEPTONE Fibreglass Repair Kit

Description: Septone Fibreglass Repair kit repairs large holes, cracks, rusted panels, dents and holes in vehicles, caravans and trailers. Bonds and repairs fibreglass and plywood boats, water skis and other surf craft. Repairs performed with this kit are waterproof, weather resistant, rot-proof and unaffected by marine growth, borers and worms.

Features & Benefits:

- Repairs large holes
- Forms a strong tough corrosion resistant repair
- Cures within 2 to 4 hours depending on application
- Contains matting, resin & catalyst

Product No.	Pack Size	Carton QTY.
ABFR2	KIT	8

Area of Application:

- Trade or Handyman use
- Fibreglass and plywood marine craft
- Automotive and metal panel repairs
- Fibreglass, timber and metal sheeting



SEPTONE Glass Fibre Filler (Fibre Tough)

Description: Septone Glass Fibre Filler is a quality fibre reinforced polyester putty. It is easy to use and will bridge holes up to 50mm in diameter in rusted metal panels in vehicles, caravans, trailers, boats and guttering. It exhibits maximum adhesion to metal, resists shrinkage and is waterproof when fully cured.

Features & Benefits:

- Repairs large holes up to 50mm diameter
- Easy to mix and apply
- Fast setting
- Resists shrinkage, waterproof

Product No.	Pack Size	Carton QTY.
ABGF500	500 g	12
ABGF1	1 Kg	12
ABGF3	3 Kg	6
ABGF5.5	5.5 Kg	4

Area of Application:

- For Trade use
- Automotive repairs
- Marine and leisure craft repairs
- House maintenance repairs



SEPTONE Super Etch Primer

Description: Septone Super Etch Primer is a single pack acid etch zinc phosphoxy primer. It provides excellent adhesion to most metals including mild steel, aluminium, zinc anneal, galvanised iron, stainless steel, lead, brass and copper. It provides excellent anti-corrosive properties and is chromate free.

Features & Benefits:

- Epoxy based
- Acid etch primer
- Protects metal surface prior to painting
- Fast drying
- Promotes adhesion to difficult metals

Product No.	Pack Size	Carton QTY.
AAEP400	400 g Aerosol	12

Area of Application:

- Trade or Handyman use
- Automotive and metal panels



SEPTONE Acrylic Primer Surfacer

Description: Septone Acrylic Primer Surfacer is a fast drying, single pack primer, designed for spot and panel repairs and for complete resprays for vehicles with enamel or acrylic lacquers. It exhibits excellent build and sanding properties, great adhesion to most bare metals and outstanding hold out under various top coats.

Features & Benefits:

- Grey, single pack primer
- Excellent adhesion to bare metal
- Fast drying
- Easy application
- Suitable for use under enamel or acrylic lacquers

Product No.	Pack Size	Carton QTY.
AAPS400	400 g Aerosol	12

Area of Application:

- Trade or Handyman use
- Primer for OEM Paints, fibreglass, body fillers, and etch primer.



SEPTONE Acrylic Primer Filler

Description: Septone Acrylic Filler has been designed to be used under acrylic lacquer, nitrocellulose and enamel paint systems. It offers excellent build and sanding qualities as well as first-class adhesion to most bare metals. May also be used over polyester body filler, fibreglass etc.

Features & Benefits:

- Beige metal primer
- Provides a high build
- Good sanding properties
- Excellent adhesion to most metals
- Suitable for use under acrylic, nitrocellulose and enamel paints

Product No.	Pack Size	Carton QTY.
AAPF400	400 g Aerosol	12

Area of Application:

- Trade or Handyman use
- Use over body filler, fibreglass



SEPTONE Acrylic Top Coats

Description: Septone Acrylic is designed to be used on motor vehicles for small touch ups and repairs. Safe to use over properly prepared substrates, degreased and well sanded acrylic lacquer, 2-Pack enamels and primers.

Features & Benefits:

- Fast drying acrylic lacquer
- Available in matt, satin and black finishes
- Produces a hard, durable finish
- Provides excellent coverage
- Easy application

Product No.	Pack Size	Carton QTY.
AAMB400 - MATT	400 g	12
AASAB400 - SATIN	400 g	12

Area of Application:

- Trade or Handyman use
- Automotive touch up repairs



SEPTONE Plastic Adhesion Primer

Description: Septone Plastic Adhesion Primer is a clear, rapid drying adhesion promoter suitable for unpainted plastic components. It is ideal for use on most plastic automotive body parts and other non-automotive plastic components.

Features & Benefits:

- Clear & rapid drying adhesion
- Improves adhesion for top-coats
- For interior and exterior surfaces
- Easy application

Area of Application:

- Trade or Handyman use
- Plastic automotive body parts
- Un-painted plastic components

Note: Not suitable for soft vinyl surfaces.

Product No.	Pack Size	Carton QTY.
AAPP400	400 g Aerosol	12



SEPTONE Acrylic Spray Putty

Description: Septone Acrylic Spray Putty is a blue, quick drying putty designed to be applied over Septone Primer Surfacer. It displays high build properties for easy filling of small indentations, sand-paper marks, scratches and file marks. Spray Putty exhibits superb resistance to shrinkage and can be sanded with ease.

Features & Benefits:

- Fast drying
- High build for easy filling
- Easy sanding smooth finish
- Resists shrinkage
- Easy application

Area of Application:

- Trade or Handyman use
- Automotive and metal panels

Product No.	Pack Size	Carton QTY.
AASP400	400 g Aerosol	12



SEPTONE Plastic Primer Filler

Description: Septone Plastic Primer Filler is a rapid drying, highly flexible, easy sanding, high build grey primer for plastic bumpers and most rigid plastic components. Ideal for priming repaired areas and minor imperfections.

Features & Benefits:

- Rapid drying
- Highly flexible for rigid plastics
- High build for easy sanding
- Primes and fills minor imperfections
- Easy application

Area of Application:

- Trade or Handyman use
- For use with nitrocellulose, acrylic or enamel paints
- For rigid plastic components

Product No.	Pack Size	Carton QTY.
AAPPF400	400 g Aerosol	12



SEPTONE Acrylic Gloss Top Coats

Description: Septone Acrylic Gloss Paint is designed to be used on motor vehicles for small touch ups and repairs. Available in white, black or clear. Safe to use over acrylic lacquer, 2-Pack enamels and primers. Provides a high initial gloss, polishes to a deep full gloss.

Features & Benefits:

- Fast drying acrylic lacquer
- Available in clear, white and black finishes
- Produces a hard, durable finish
- Provides excellent coverage
- Gloss finish
- Easy application

Area of Application:

- Trade or Handyman use
- Automotive touch up repairs

Product No.	Pack Size	Carton QTY.
AAAC400 - CLEAR	400 g Aerosol	12
AAGW400 - WHITE	400 g Aerosol	12
AAGB400 - BLACK	400 g Aerosol	12



SEPTONE Subframe Black Paint

Description: Septone Subframe Black is a rapid drying satin black enamel paint designed for painting subframes, chassis, radiators, springs, axles and other automotive components that are normally finished in satin black. Subframe Black offers excellent adhesion to both primed and un-primed metal surfaces.

Features & Benefits:

- Ready to use
- Rapid drying
- Suitable for high temperature environments
- Excellent adhesion to primed or un-primed metal surfaces

Area of Application:

- Trade or Handyman use
- Automotive repairs

Product No.	Pack Size	Carton QTY.
AFSB1	1 L	6
AFSB4	4 L	4



SEPTONE Stone Shield Anti-Chip Coating

Description: Septone Stone Shield Anti-Chip Coating is a heavy bodied, water based elasticised coating which provides protection against stone chip damage to the lower body sections of motor vehicles. Once dry, Stone Shield forms a durable, flexible coating with a stippled coloured surface finish which is ready to be top-coated with the appropriate finish coats.

Features & Benefits:

- Elasticised anti-chip coating
- Forms a durable and flexible barrier
- Easily top-coated to match paintwork
- Repairs existing stone guard coatings
- Available in black and white

Area of Application:

- Trade or Handyman use
- Automotive and Transport vehicles

Product No.	Pack Size	Carton QTY.
AUSB1T Black	1 L	6
AUSW1T White	1 L	6
AASB400 Black	400g Aerosol	12
AASG400 Grey	400g Aerosol	12



SEPTONE Hammer Finish

Description: Septone Hammer Finish is a self-priming, rapid drying hammered metal look paint. It is suitable for interior and exterior applications on both metal and timber surfaces. Once applied, it provides a tough, durable, anti-corrosive decorative finish which hides surface imperfections.

Features & Benefits:

- Tough durable textured finish
- Available in blue, charcoal & silver finishes
- Quick drying
- Anti-corrosive
- Hides surface imperfections
- Easy application

Area of Application:

- Trade or Handyman use
- For exterior and interior metal or wooden surfaces

Product No.	Pack Size	Carton QTY.
AAGB400 - Black	400 g Aerosol	12
AFHFBK2 - Black	2 L	4
AAHFB400 - BLUE	400 g Aerosol	12
AFHFB1 - BLUE	1 L	6
AFHFB4 - BLUE	4 L	4
AAHFC400 - CHARCOAL	400 g Aerosol	12
AFHFC1 - CHARCOAL	1 L	6
AFHFC2 - CHARCOAL	2 L	4
AFHFC4 - CHARCOAL	4 L	4
AAHFS400 - SILVER	400 g Aerosol	12
AFHFS1 - SILVER	1 L	6
AFHFS2 - SILVER	2 L	4
AFHFS4 - SILVER	4 L	4



SEPTONE Mr Buff Cutting Compound

Description: Septone Mr Buff is a quality paste cutting compound recommended for automotive, marine and general industrial applications. Mr Buff can be used on new paints to remove overspray and orange peel or on chalked paints to remove fine scratches and oxidation. Mr Buff restores the shine to dull surfaces.

Features & Benefits:

- Paste formula
- Removes surface imperfections and swirl marks
- May be diluted to reduce cut rate
- Provides initial quick cut, polish finish
- Prepares surface for high gloss polishing

Product No.	Pack Size	Carton QTY.
ACMB500	500 g	12
ACMB5	5 Kg	4

Area of Application:

- Trade, Industrial or Handyman use
- New or old painted surfaces



SEPTONE Paint Stripper

Description: Septone Paint Stripper is a phenolic based heavy-duty paint remover designed especially for the stripping of automotive coatings, including acrylic lacquer and 2-Pack polyurethane paints.

Features & Benefits:

- Removes most automotive paint coatings
- Suitable for enamel & varnish removal
- Heavy duty formula

Product No.	Pack Size	Carton QTY.
AQPS500	500 mL	12
AQPS1	1 L	6
AQPS4	4 L	4

Area of Application:

- Trade/DIY use
- Automotive & industrial paints

Note: *Paint Stripper is not recommended for wooden surfaces and can adversely affect chrome, Perspex, rubber and plastic components or fibreglass gelcoats.*



SEPTONE Rust Shield

Description: Septone Rust Shield is a black, heavy duty corrosion preventative and noise suppressing coating. Its heavy bodied waterproof formula is fortified with bitumen and waxes enabling it to inhibit the formation of rust on the undercarriage sections, floor pans, firewalls, chassis members and wheel arches of 4WD's, Vehicles, Caravans and Trailers.

Features & Benefits:

- Rust/Corrosion preventative
- Noise suppressing
- Waterproof
- Anti-Chip, prevents stone damage

Product No.	Pack Size	Carton QTY.
AURU4	4 L	4
AURU20	20 L	Each

Area of Application:

- Trade, Industrial or Handyman use
- Automotive, Transport, Fleet
- Applied by body deadener gun



SEPTONE Rust Shield

Description: Septone Rust Shield is a black, heavy duty corrosion preventative and noise suppressing coating. Its heavy bodied waterproof formula is fortified with bitumen and waxes enabling it to inhibit the formation of rust on the undercarriage sections, floor pans, firewalls, chassis members and wheel arches of 4WD's, Vehicles, Caravans and Trailers.

Features & Benefits:

- Easy application
- Rust/Corrosion preventative
- Noise suppressant
- Waterproof
- Anti-Chip, prevents stone damage

Product No.	Pack Size	Carton QTY.
AARS400	400 g Aerosol	12

Area of Application:

- Trade, Industrial or Handyman use
- Automotive and Transport vehicles



SEPTONE Rust Proof

Description: Septone Rust Proof is a heavy-duty corrosion preventative coating designed to inhibit the formation of rust in internal box sections, door cavities, sills and pillars of motor vehicles. Rust Proof is applied using a low-pressure spray gun and dries to a soft brown waxy protective coating.

- Features & Benefits:**
- Leaves Wax type protective coating
 - Long-term corrosion preventative
 - Applied to internal vehicle surfaces
 - Provides excellent seam penetration

- Area of Application:**
- Trade/Professional use
 - Automotive and Transport vehicles

Product No.	Pack Size	Carton QTY.
AURP1T	1 L	6
AURP4	4 L	4
AURP20	20 L	Each



SEPTONE Chassis Black

Description: Septone Chassis Black is an anti-corrosive black bituminous paint that provides waterproofing and sound deadening properties to coated surfaces. It is designed for use on the undercarriages of Motor Vehicles, Caravans and Trailers and can also be used on iron roofing, guttering and for metal structures.

- Features & Benefits:**
- Easy brush on or spray application
 - Corrosion protectant
 - Stone chip resistant
 - Sound deadener
 - Waterproof

- Area of Application:**
- Trade or Handyman use
 - Truck and vehicle chassis & undercarriages

Product No.	Pack Size	Carton QTY.
AUCB1	1 L	12
AUCB4	4 L	4



SEPTONE Brushcote Body Deadener

Description: Septone Brushcote Body Deadener is a waterproof, anti-corrosive, noise suppressing black bituminous compound designed for application by brush to the underside of motor vehicles. Brushcote Body Deadener can also be used as a coating for iron roofs, fibre roofs, inside guttering, downpipes, water tank exteriors and on metal structures.

- Features & Benefits:**
- Easy brush on application
 - Rust/Corrosion preventative
 - Noise suppressant
 - Waterproof
 - Anti-Chip, prevents stone damage

- Area of Application:**
- Trade, Industrial or Handyman use
 - Automotive and Transport vehicles

Product No.	Pack Size	Carton QTY.
AUBD1	1 L	12
AUBD4	4 L	4



SEPTONE Body Deadener


Description: Septone Body Deadener is a waterproof, anti-corrosive, noise suppressing black compound designed for application to the undercarriages of motor vehicles. Body Deadener can also be used as a coating for iron roofs, fibre roofs, inside guttering, downpipes, water tank exteriors and on metal structures.

- Features & Benefits:**
- Easy application
 - Rust/Corrosion preventative
 - Noise suppressant
 - Waterproof
 - Forms a durable flexible barrier

- Area of Application:**
- Trade, Industrial or Handyman use
 - Automotive and Transport vehicles
 - Home Hardware

Product No.	Pack Size	Carton QTY.
AABD400	400 g Aerosol	12

Additives.



Wynn's® Petrol Injector Cleaner



Description: Wynn's Petrol Injector Cleaner cleans dirty injectors and continues to prevent new deposits from forming for up to 5,000km. With its easy-to-use one-shot treatment and backed by European technology, Wynn's Petrol Injector Cleaner brings engines back to life for smoother idling, increased power and better fuel economy.

Features & Benefits:

- Easy-to-use, one-shot treatment
- Cleans injectors as you drive for up to 5,000 km
- Increases engine power & fuel economy
- Smooths idling and cold starting
- Treats up to 80 L of petrol
- Protects against rust and corrosion

Area of Application:

- Conventional & direct injection systems including turbo charged and hybrid engines
- Suitable for all grades of petrol fuels
- Capless fuel system compatible
- Catalytic converter, oxygen sensors & E10 safe

Product No.	Pack Size	Carton QTY.
77218	325 mL	6



Wynn's® Diesel Injector Cleaner



Description: Wynn's Diesel Injector Cleaner's fast-acting formulation cleans dirty injectors and continues to prevent new deposits from forming for up to 5,000km. With its easy-to-use one-shot treatment and backed by European technology, Wynn's Diesel Injector Cleaner brings the engine back to life for smoother idling, increased power and better fuel economy.

Features & Benefits:

- Increases engine power & fuel economy
- Smooths idling & cold starting
- Protects against rust and corrosion
- Easy-to-use, one-shot treatment
- Reduces black exhaust emissions

Area of Application:

- For use in all Diesel and Hybrid common rail and indirect injection systems, and Bio-Diesel

Product No.	Pack Size	Carton QTY.
35318	325 mL	6



Wynn's® Complete Petrol Fuel System Cleaner



Description: Wynn's Complete Petrol Fuel System Cleaner cleans and protects the entire fuel system to keep the vehicle operating at peak performance. Wynn's Complete Petrol Fuel System Cleaner works as you drive to improve engine performance, lower fuel consumption and prevent new deposits from forming for up to 10,000km.

Features & Benefits:

- Easy-to-use, one-shot treatment
- Protects fuel system components
- Protects and cleans for up to 10,000 km
- Easy starting and enhanced power

Area of Application:

- Conventional & direct injection systems including turbo charged engines.
- Capless fuel system compatible

Product No.	Pack Size	Carton QTY.
72018	325 mL	6



Wynn's® Diesel Fuel System Cleaner



Description: Wynn's Complete Diesel Fuel System Cleaner cleans and protects the entire fuel system to keep the heart of the vehicle operating at peak performance. With its easy to use one shot treatment and backed by European Technology, Wynn's Complete Diesel Fuel System Cleaner works as you drive to improve engine performance.

Features & Benefits:

- Cleans and lubricates entire fuel system
- Protects fuel system components
- Prevents engine knocking
- Cleans and protects for up to 10,000km's
- Easy-to-use, one-shot treatment
- Safe for DPF and other emission controls

Area of Application:

- Capless fuel system compatible
- Suitable for all diesel common rail and indirect injection systems, and bio diesel.

Product No.	Pack Size	Carton QTY.
35018	325 mL	6





Wynn's Engine Oil Flush

Description: Wynn's Engine Oil Flush optimises the new oil and filter during servicing. Whether the vehicle is Petrol, Diesel, Hybrid or LPG powered, simply add Wynn's Engine Oil Flush to the engine oil and let it dissolve varnish, sludge and contaminants from vital engine parts preparing it for an optimal oil change.

Features & Benefits:

- Prepares engine for motor oil and filter change
- Removes contaminants from vital engine parts
- Keeps new motor oil and filter cleaner for longer
- Solvent free safe on seals
- Easy-to-use one-shot treatment

Product No.	Pack Size	Carton QTY.
51621	325 mL	6

Area of Application:

- For new or old, Petrol, Diesel, Hybrid or LPG engines



Wynn's Engine Oil Stop Leak

Description: Wynn's Engine Oil Stop Leak helps stop and prevents engine oil leaks. With its one shot easy-to-use treatment and backed by European technology, Wynn's Engine Oil Stop Leak helps revive hardened or shrunken rubber seals, gaskets & O-rings to prevent further leaking until seals can be replaced.

Features & Benefits:

- Helps stop & prevents leaks
- Reduces oil loss and burning
- Restores hardened or shrunken rubber seals, gaskets & O-rings
- Easy-to-use one-shot treatment
- Safe for Catalytic Converters, DPF & other emission controls
- For all mineral & synthetic oils

Product No.	Pack Size	Carton QTY.
50610	325 mL	6

Area of Application:

- Compatible with all mineral & synthetic oils
- Recommended for all Petrol, Diesel, Hybrid or LPG engines



Wynn's Engine Oil Stop Smoke

Description: Wynn's Engine Oil Stop Smoke reduces oil loss and burning with its easy to use, one shot treatment. Backed by European technology, Wynn's Engine Oil Stop Smoke acts as a high temperature viscosity improver that restores engine compression, reducing exhaust smoke.

Features & Benefits:

- Restores compression and engine performance
- Reduces engine noise and wear
- Reduced spark plug fouling in Petrol engines
- Easy-to-use one-shot treatment
- For all mineral & synthetic oils
- Safe for Catalytic Converters, DPF & other emission controls

Product No.	Pack Size	Carton QTY.
50024	325 mL	6

Area of Application:

- Compatible with all mineral & synthetic oils
- Recommended for all Petrol, Diesel, Hybrid or LPG engines



Wynn's Ultimate Engine Anti-Wear

Description: Wynn's Ultimate Engine Anti-Wear improves the viscosity of any engine oil to make it even better. Wynn's Ultimate Engine Anti-Wear provides a protective layer on metal parts that, in the absence of an oil film, minimises engine wear until the engine is up to temperature.

Features & Benefits:

- Ultimate cold start protection to extend engine life
- Exceptional wear and corrosion control
- Extends engine oil life
- Reduces engine sludge and varnish build up
- Ideal for stop/start driving
- Recommended for all oil types

Product No.	Pack Size	Carton QTY.
82912	325 mL	6

Area of Application:

- For all passenger & commercial Petrol, Diesel, Hybrid and LPG engine types
- Especially suited for consistent stop/start driving or during cold start protection



Wynn's DPF & Turbo Cleaner

Description: Wynn's DPF & Turbo Cleaner is a two-in-one additive designed to clean and regenerate DPF's whilst cleaning variable turbos and freeing sticking vanes. With its easy to use one shot treatment and backed by European technology, simply add Wynn's DPF & Turbo Cleaner to the diesel tank to help prevent LIMP mode or DPF replacement occurring.

Product No.	Pack Size	Carton QTY.
82911	325 mL	6

Features & Benefits:

- Avoid Costly DPF & Turbo failure
- Cleans & regenerates restricted DPFs
- Cleans & frees sticking turbo vanes
- Maximises life of DPF & turbo charger
- 2-in-1 treatment
- Can be used as a turbo only cleaner on Diesel Engines without DPF's
- Capless fuel system compatible
- Easy-to-use one-shot treatment

Area of Application:

- For all diesel vehicles with DPF or turbo
- Capless fuel system compatible



Chemtech Diesel Power

Description: Chemtech Diesel Power Fuel Additive boosts engine performance, improves fuel economy and reduces engine corrosion. It contains antioxidants and dispersants that clean injectors and fuel lines by removing gum and varnish, prolonging engine life. It inhibits the growth of algae and helps prevent problems resulting from fuel storage and thermal breakdown.

Product No.	Pack Size	Carton QTY.
CDP-300M	300 mL	12
CDP-1L	1 L	6
CDP-5L	5 L	4
CDP-20L	20 L	Each

Features & Benefits:

- Cleans injectors and keeps them clean
- Improves diesel fuel stability
- Inhibits growth of algae and bacteria
- Reduces exhaust emissions and improves fuel economy
- 300 mL Treats up to 300 litres

Area of Application:

- For all diesel powered vehicles - 4WD's, buses, trucks & earth moving machinery



Chemtech Diesel Power Turbo & DPF Cleaner

Description: Diesel Power Turbo & DPF Cleaner is perfect for all diesel vehicles to clean and regenerate your Diesel Particulate Filters (DPF) which become clogged over time. It also cleans and frees stuck turbo vanes of variable turbos.

Product No.	Pack Size	Carton QTY.
CDP-DPF300	300 mL	6

Features & Benefits:

- Cleans/regenerates blocked DPF units
- Burns off Carbon Particles while driving
- Cleans/Frees sticking vanes of variable turbo's

Area of Application:

- Diesel engines
- Ideal for diesel vehicles driven in frequent stop/start, metro driving



Chemtech Diesel Power Engine Flush

Description: Diesel Power Engine Flush has been formulated to gently dissolve and remove internal engine contaminants by suspending them in a high level of dispersants. The non-solvent formula assures maximum drainage of the contaminants with the used oil, minimising new oil contamination.

Product No.	Pack Size	Carton QTY.
CDP-EF300	300 mL	6

Features & Benefits:

- Extends engine life
- Prepares engine prior to oil & filter change
- Dissolves varnish, sludge and other contaminants from vital engine parts
- Solvent Free, will not damage seals

Area of Application:

- For new or old petrol, diesel & LPG engines



Petrol Power

Description: Improves fuel economy, reduces engine wear, protects valves and rings, dissolves gums and varnish, disperses water and controls algae and bacteria.

Features & Benefits:

- Restores engine performance Improves fuel economy
- Cleans injectors and keeps them clean
- Reduces exhaust emissions
- Prevents formation of stable fuel-water emulsions

Product No.	Pack Size	Carton QTY.
CPP-300	300 mL	6

Area of Application:

- For all petrol cars, 4WDs, bikes and boats

Radiator Coolants & Additives.



Tectaloy® UNLMTD Ready To Use Pre-Mix Coolant



Description: Tectaloy Unlmted Ready to Use Pre-Mix is an Organic Acid Technology (OAT) radiator coolant, pre-mixed to 33% glycol concentrate. It is the perfect choice of coolant where extra load is placed on the engine. Its unique formula allows extra cooling system protection when required, such as four-wheel driving and towing.

Features & Benefits:

- Ready to Use
- 10 Years or 1,000,000km
- -19°C Anti-Freeze/+125°C Anti Boil Protection
- 100% Corrosion protection when used as directed
- Type B

Area of Application:

- For petrol and diesel engines
- Four-wheel driving
- Heavy load towing - trailers or caravans
- Excellent choice for high-performance multi-valve engines.

Product No.	Pack Size	Carton QTY.
TUPG1L GREEN	1 L	6
TUPG5L GREEN	5 L	3
TUPG20L GREEN	20 L	Each
TUPR1L RED	1 L	6
TUPR5L RED	5 L	3



Tectaloy® 60 Plus General Purpose Coolant



Description: Tectaloy 60 Plus is a conventional pre-mixed radiator coolant designed for general purpose use. Formulated to protect against overheating, aluminium corrosion, general rust & heat transfer loss and rubber hose breakdown. Tectaloy 60 Plus is designed to meet the demands of normal passenger vehicles under light to normal driving conditions.

Features & Benefits:

- Ready to Use
- 4 Years or 120,000km
- -2°C Anti-Freeze/+122°C Anti Boil Protection
- 100% Corrosion protection when used as directed
- Silicate, phosphate & amine free

Area of Application:

- For petrol and diesel engines
- Light to normal driving conditions

Product No.	Pack Size	Carton QTY.
T60PG1L	1 L	6
T60PG5L	5 L	3



Tectaloy® UNLMTD Concentrate



Description: Tectaloy UnlmtD Concentrate is the latest development in extended life coolant technology, offering maximum Anti Freeze/ Anti Boil & corrosion protection for automotive cooling systems. Recommended for all vehicles to current model manufacturing standards including petrol, diesel, gas, supercharged, turbocharged and stationary engines.

Features & Benefits:

- Silicate, phosphate & amine free.
- 100% Corrosion protection when used as directed.
- -37°C Anti-Freeze/+129°C Anti Boil Protection
- 10 Years or 1,000,000km.
- Concentrate, available Green & Red

Area of Application:

- For petrol and diesel engines
- Four-wheel driving
- Heavy load towing - trailers or caravans
- Excellent choice for high-performance multi-valve engines.

Product No.	Pack Size	Carton QTY.
TUG1L GREEN	1 L	6
TUG5L GREEN	5 L	3
TUG20L GREEN	20 L	Each
TUR5L RED	5 L	3
TUR20L RED	20 L	Each



Tectaloy® XTRA Cool Gold Corrosion Inhibitor Concentrate



Description: Tectaloy XTRA Cool Gold is formulated using the latest inhibitor technology to provide optimum long-life corrosion protection to aluminium alloys & all other metals used in the modern cooling system. Tectaloy XTRA COOL GOLD is suitable for use in all vehicles not requiring anti-freeze protection, both petrol and diesel.

Features & Benefits:

- Makes up to 15 litres
- 3 years / 60,000 km lifespan if diluted with tap water
- 3 years / 100,000 km lifespan if diluted with demineralised water
- Type B, Organic
- Available in Green or Red

Area of Application:

- For petrol and diesel engines
- For vehicles not requiring anti-freeze protection

Product No.	Pack Size	Carton QTY.
TEXG1L GREEN	1 L	6
TEXG20L GREEN	20 L	Each
TEXGR1L RED	1 L	6
TEXGR20L RED	20 L	Each





TECTALOY XTRA Cool Corrosion Inhibitor Concentrate

Description: Tectaloy XTRA COOL is formulated using the latest inhibitor technology to provide corrosion protection to aluminium alloys & all other metals used in the modern cooling system. Tectaloy XTRA COOL keeps cooling water clean and rust free and is suitable for use in petrol or diesel vehicles not requiring anti-freeze protection.

Features & Benefits:

- Makes up to 10 litres
- 2 years / 40,000 km lifespan (diluted with demineralised water)
- 500mL treats up to 10L system
- 100% Corrosion protection
- Reduces corrosive attack on aluminium and cast iron
- Type B

Product No.	Pack Size	Carton QTY.
TEX500	500 mL	12

Area of Application:

- For petrol and diesel engines
- For vehicles not requiring anti-freeze protection



TECTALOY HD2 Heavy Duty Radiator Flush

Description: Tectaloy HD2 Heavy Duty Radiator Flush is a professional strength, fast-acting, acid-based radiator flush that safely and effectively removes rust, scale, oil & sludge from the cooling system. It improves cooling system efficiency to maximise the performance of organic-based coolants in vehicle cooling systems.

Features & Benefits:

- Heavy-duty cooling system cleaner
- Specifically developed for trade use
- Acid based formula
- Ideal for use when attempting to remove rust, scale, oil & sludge from the cooling system

Product No.	Pack Size	Carton QTY.
TEHD21L	1 L	6

Area of Application:

- Recommended between flushes to clean & pre-condition the cooling system
- Safe to use in all vehicles



TECTALOY Mukowt Radiator Flush

Description: Tectaloy Mukowt Radiator Flush is an ideal cooling system cleaner and pre-conditioner designed for use prior to filling with your preferred Tectaloy Coolant or Corrosion Inhibitor. It is suitable for use with all radiator cooling systems.

Features & Benefits:

- Alkaline-based
- Assists in the removal of oil & sludge
- Gentle action alkaline solution
- Ideal for use when attempting to remove oil & sludge from the cooling system

Product No.	Pack Size	Carton QTY.
TE610	500 mL	6

Area of Application:

- Recommended between flushes to clean & pre-condition system
- For all radiator cooling systems



Wynn's Radiator Flush

Description: Wynn's Radiator Flush pre-conditions and prepares the radiator coolant system prior to a coolant change with its easy-to-use, alkaline based one-shot treatment. Backed by European technology, Wynn's Radiator Flush improves cooling system efficiency to maximise the performance of your coolant.

Features & Benefits:

- Recommended for all 4, 6 and 8 cylinder engines
- Cleans and conditions cooling system for new coolant
- Removes oil, sludge, rust & scale
- Improves cooling system efficiency
- Easy to use one shot treatment

Product No.	Pack Size	Carton QTY.
65332	325 mL	6

Area of Application:

- Compatible with conventional, Hybrid and O.A.T. coolant systems
- Suitable for all 4, 6 or 8-cylinder engines



TECTALLOY UNLMTD TOP-UP PRE-MIX

Description: Tectaloy UnlmtD Top-Up Pre-Mix is an advanced Type A Anti-Freeze Anti-Boil formula pre-mixed to 50% and ready to use. It can be safely added into any radiator system regardless of coolant colour or type.

Features & Benefits:

- Universal Coolant Top-Up for ALL Types of Vehicles
- Compatible with all coolant types
- -37°C Anti Freeze Protection
- 129°C Anti-Boil Protection
- 100% Corrosion Protection

Product No.	Pack Size	Carton QTY.
TUPY1L	1L	6

Area of Application:

- Ready-to-Use regardless of coolant colour in vehicle
- Will not discolour original coolant when mixed at less than 10% or more of system capacity



wynn's Radiator Stop Leak

Description: Wynn's Radiator Stop Leak stops and prevents radiator leaks. With its easy-to-use one shot treatment and backed by European technology, Wynn's Radiator Stop Leak seals leaks and controls gasket seepage.

Features & Benefits:

- Stops & prevents leaks
- Seals leaks in radiator & heater cores
- Prevents head gasket seepage
- Will not clog radiator waterways nor affect temperature sensors
- Suitable for all 4, 6 or 8 cylinder Petrol, Diesel, Hybrid and LPG engines

Product No.	Pack Size	Carton QTY.
68650	325 mL	6

Area of Application:

- Suitable for all 4, 6 or 8 cylinder Petrol, Diesel, Hybrid and LPG engines
- Compatible with both conventional, Hybrid & O.A.T. coolant systems



TECTALLOY Radiator Stop Leak

Description: Tectaloy Radiator Stop Leak is an emergency fix designed specifically to be compatible with the complete Tectaloy range of coolants and inhibitors. It will quickly seal leaks in radiators, heaters, thermostat housings, water pumps and is effective at controlling gasket seepage.

Features & Benefits:

- Seals leaks in the cooling system
- Effective at controlling gasket seepage
- Compatible with the Tectaloy coolant range
- Enables system to operate until repairs can be made
- Takes effect in short period of running time

Product No.	Pack Size	Carton QTY.
TESL500	500 mL	6

Area of Application:

- Home automotive maintenance
- Designed as a temporary repair & not intended as a permanent fix
- Can be added to existing radiator fluid

Adhesives & Sealants.



Permatex® Heavy Duty Headliner & Carpet Adhesive



Description: Permatex Heavy Duty Headliner & Carpet Adhesive is a high-strength, high temperature spray adhesive designed for repairing automotive and marine interiors which have become detached or loosened. Heavy Duty Adhesive maintains strength up to 77°C, dries clear for neat repairs and is resistant to water and extreme weather conditions.

Features & Benefits:

- Easy to apply
- High strength bond
- Maintains strength up to 77°C
- Water resistant
- Resistant to extreme weather conditions

Area of Application:

- Home and trade automotive & marine repairs
- Bonds foam, linings, plastics, rubber, upholstery and fabrics

Product No.	Pack Size	Carton QTY.
PX27828	474 g	6



Permatex Plastic Welder™



Description: Permatex Plastic Welder™ is a structural adhesive for general purpose bonding of a wide variety of materials. It forms a tough, durable bond to most plastics, composites, ceramics and wood. Plastic Welder sets at 5-6 minutes with fixturing in 9-10 minutes.

Features & Benefits:

- Non-sagging formula
- Resists weathering & humidity
- Set Time 5-6 minutes, full curing 24 hours
- Permanent strength up to 3,500 PSI
- Requires no primers

Area of Application:

- Home and trade repairs
- Bonds rigid materials, ABS, acrylic, fibreglass, glass, PVC, steel, vinyl & wood
- Use for interior trim, fills cracks, bonds plastic to vinyl

NOTE: Not suitable for most polyethylene or polypropylene plastics.

Product No.	Pack Size	Carton QTY.
PX84115	25 mL	12



Permatex® Black Silicone Adhesive Sealant



Description: Permatex Black Silicone Adhesive Sealant is a general-purpose, flexible, black RTV indoor/outdoor waterproof sealant. It seals, bonds, repairs and secures glass, metal, plastics, fabric, vinyl, weather stripping and vinyl tops. It also protects and repairs electrical wiring and can be applied to horizontal or vertical surfaces.

Features & Benefits:

- Low odour formula
- Temperature range - 59°C to 232°C
- Provides superior adhesion & flexibility
- Resists vibration, aging & weathering
- Won't harden, crack or shrink

Area of Application:

- Home and trade repairs
- Applies to metal, glass, wood, plastic, vulcanised rubber, ceramics & painted surfaces

Product No.	Pack Size	Carton QTY.
PX81158	85 g	12



Septone® Contact Adhesive



Description: Septone Contact Adhesive permanently contact-bonds a wide range of surfaces, including vehicle upholstery, laminated plastic and weather strips, leather, vinyl, canvas, rubber, glass, timber, MDF and particle board, PVC, laminates, ceramic, vinyl flooring and urethane foam etc.

Features & Benefits:

- Easy to use spray pack
- Heat and water resistant
- Permanently bonds a wide range of materials
- Dries clear

Area of Application:

- Home and trade repairs
- Automotive upholstery, trim, linings, weather strips
- Marine upholstery, canvas, timber, flooring

NOTE: Not suitable for application with plastic buttons.

Product No.	Pack Size	Carton QTY.
AACA400	300 g Aerosol	12





Permatex Steel Weld™

Description: Permatex Steel Weld™ is a two part, hand kneadable, putty type industrial strength, steel-reinforced epoxy in stick form. It bonds and repairs metallic materials that will be exposed to high temperatures up to 260°C. When fully cured it can be drilled, tapped, machined, filed, and painted.

Features & Benefits:

- Sets in 5 minutes, cures in 1 hour
- Resistant to water, chemicals and high temperatures
- Safe for surfaces in contact with drinking water
- Permanent strength up to 900 PSI
- Dries Metallic Grey

Product No.	Pack Size	Carton QTY.
PX84332	56 g	12

Area of Application:

- Home and trade repairs
- Automotive and machine parts
- Stripped threads, steel components, cracks or voids in metal



Permatex Steel Weld™ Epoxy

Description: Permatex Steel Weld™ Epoxy is a two part, easy-to-use, multi-metal epoxy adhesive and filler system. It repairs, fills and bonds most metal surfaces without the need for welding or brazing. Steel Weld sets in four minutes with no clamping required and once cured, it can be drilled, sanded, threaded or filed.

Features & Benefits:

- Resistant to water and solvents
- Temperature range -51°C to 149°C
- Permanent strength up to 4,500 PSI
- Useable in 30 minutes
- Dries Dark Grey

Product No.	Pack Size	Carton QTY.
PX84209	2 x 28 g Tube	12
PX84109	25 mL Syringe	12

Area of Application:

- Home and trade repairs
- Bonds to aluminium, chrome, stainless steel, brass, copper, iron



Permatex Clear RTV Silicone Adhesive Sealant

Description: Permatex Clear RTV Silicone Adhesive Sealant is a general-purpose, waterproof product designed to seal, bond, repair, and secure glass, metal, plastics, fabric, vinyl, weather stripping and vinyl tops. It is suitable for indoor or outdoor use and can be applied to horizontal or vertical surfaces.

Features & Benefits:

- Waterproof, durable, and flexible
- Resists weather and vibration
- Temperature range -59°C to 204°C
- Seals and insulates

Product No.	Pack Size	Carton QTY.
PX80050	85 g	12

Area of Application:

- Trade, automotive & boat repairs
- Automotive door frames, windshields, seams and roofs
- Marine hatches, windshields, seams and roofs



Permatex 5 Minute Cap Filling Epoxy

Description: Permatex 5 Minute Epoxy is a general-purpose epoxy adhesive in an easy to use 2-part dispensing syringe. It bonds and fills gaps in rigid materials including fibreglass, chrome metal, hard plastic and rubber. 5 Minute Epoxy sets in five minutes with no clamping needed and will not shrink.

Features & Benefits:

- Water and solvent resistant
- Sets in 5 minutes, cures in 4 hours
- Temperature range -51°C to 82°C
- Permanent strength up to 3,400 PSI
- Dries Clear

Product No.	Pack Size	Carton QTY.
PX84101	25 mL	12

Area of Application:

- Ideal for multi-piece assemblies
- Chrome, fibreglass, glass, metal, hard plastics (excluding polyethylene and polypropylene)

Gasketing & Thread Compounds.



Permatex
Creador de lo
Máximo
Rigid y
Vibrat
Ideal fo
Domestic &
Import Vehicles
Sensor Safe
CAUTION: ON DIRECT CONTACT
UN-REED SEALANT IRRITATES EYES
Read carefully other cautions on back of
PRECAUCIONES: EL SELLADOR
CAUSA CALSA IRRITACION EN OJOS
Lea las precauciones al reverso
NET WT 3.5 OZ / CONT. NET

Permatex Ultra Black® Maximum Oil Resistance RTV Silicone Gasket Maker



Description: Permatex Ultra Black® Gasket Maker is fast-curing and is designed for superior adhesion to oily surfaces and long-term durability. It is sensor-safe, low odour, non-corrosive and meets performance specs of OE silicone gaskets. Permatex Ultra Black retains high flexibility and outstanding oil resistant properties through the use of a patented adhesion system.

Features & Benefits:

- OEM specified
- Sensor-safe, non-corrosive formula
- Superior resistance to auto, coolants & shop fluids
- Eliminates the need for pre-formed, pre-cut, paper, rubber or cork gaskets;
- Temperature range -54°C to 260°C intermittent

Area of Application:

- Automotive valve covers, oil pans, intake manifold end seals, timing covers, differential covers
- Marine valve covers, oil pans, intake manifold end seals, timing covers, water pumps, thermostat housings

Product No.	Pack Size	Carton QTY.
PX82180	95 g	12
PX24105	368 g	12
PX85080	260 g Powerbead™ Can	6



Ultra Blue® Multi-purpose RTV Silicone Gasket Maker



Description: Permatex Ultra Blue® Gasket Maker is designed specially for high-torque and high vibration applications, like those common in import engines. It is Sensor safe, low in odour, and non-corrosive. It provides maximum vibration resistance, with outstanding resistance to oils, cooling and shop fluids. Guaranteed not to leak.

Features & Benefits:

- OEM specified
- For high-torque, maximum vibration resistance
- Sensor-safe, non-corrosive formula
- Will not leak
- Temperature range -54°C to 260°C intermittent

Area of Application:

- Exhaust manifolds/headers, valve covers, oil pans, timing covers, water pumps, thermostat housings

Product No.	Pack Size	Carton QTY.
PX81724	95 g	12
PX81725	368 g	12
PX85519	269 g Powerbead™ Can	6



Permatex Ultra Grey® Rigid High-Torque RTV Silicone Gasket Maker



Description: Permatex Ultra Grey® Gasket Maker is for rigid high torque applications, developed to meet the needs of modern vehicle technology. It is a sensor-safe, low odour, non-corrosive formula with outstanding joint movement tolerance. Permatex Ultra Grey is eight times more flexible than cork/composite gaskets and three times more oil resistant than conventional silicones.

Features & Benefits:

- OEM specified
- Sensor-safe, non-corrosive formula
- Low in odour
- Advanced formula for maximum torque
- Temperature range -54°C to 260°C intermittent

Area of Application:

- For new model vehicles
- Suitable for Ideal valve covers, oil pans, automatic transmission pans, intake manifold end seals, timing covers, water pumps, thermostat housings
- Suitable for Cover housing gasket, differential, assembly to rear axle housing, power dividers, axle shaft flanges

Product No.	Pack Size	Carton QTY.
PX89145	99 g	12
PX82195	368 g	6



Permatex® Ultra Copper Maximum Temperature RTV Silicone Gasket Maker



Description: Permatex Ultra Copper® is the most advanced, high temp RTV silicone gasket available. It is formulated for high operating temperatures, common in 4-cylinder, turbocharged or high-performance engines. It provides superior adhesion and is three times more oil resistant than conventional silicones and eight times more flexible than cut gaskets.

Features & Benefits:

- OEM specified
- Advanced formula for high operating temperatures
- Sensor-safe, low in odour, non-corrosive
- Superior oil resistance and flexibility
- Temperature range -54°C to 371°C intermittent

Area of Application:

- Ideal for 4-cylinder, turbocharged or high-performance engines

Product No.	Pack Size	Carton QTY.
PX81878	85 g	12





Permashield™ Fuel Resistant Gasket Dressing & Flange Sealant

Description: Permatex Permashield™ is a polyester urethane based gasketing compound with superior fluid resistance, designed for use as a gasket maker or dressing. It withstands extreme temperature changes without hardening and remains tacky for assembly and disassembly of parts. PermaShield™ seals surface imperfections between metal parts and is ideal in high performance applications.

Features & Benefits:

- For use as a gasket maker or dressing
- Remains flexible at high temperatures
- Allows for repeated disassembly and reassembly of metal to metal parts
- Resists common engine and automotive fluids including coolants
- Temperature range -50°C to 260°C

Area of Application:

- Ideal for high performance applications
- Axle assemblies, hydraulic parts, differential covers, oil pans (cast), water pumps, bearing caps/brackets, gearboxes

Product No.	Pack Size	Carton QTY.
PX85420	59 mL	6



Aviation Form-A-Gasket® No.1 Sealant Liquid

Description: Permatex Aviation Form-A-Gasket® No. 1 Sealant is a fast drying paste that sets to hard with a semi flexible seal. It seals rigid materials, flanges, fittings, connections and assembles against leakage. It also patches holes and joints where permanent assembly is required and resists auto shop fluids and fuels.

Features & Benefits:

- Extends gasket life
- Prevents leaks
- Fast drying, hard setting
- Temperature range -54°C to 204°C
- Withstands pressures to 5000 PSI

Area of Application:

- Automotive, motorcycle, marine repairs
- Freeze plugs, threaded connections, manifold gaskets

Product No.	Pack Size	Carton QTY.
PX80008	85 g	12



Aviation Form-A-Gasket® No.2 Sealant

Description: Permatex Aviation Form-A-Gasket® No. 2 is a slow-drying, non-hardening flexible sealant approved for use in aviation as well as automotive applications. It resists fuels, oil and grease and seals flanges, fittings, connections and flexible assemblies against leakage.

Features & Benefits:

- Extends gasket life and reliability
- Slow drying
- Flexible setting
- Excellent for metal to metal assemblies
- Temperature range -54°C to 204°C

Area of Application:

- Automotive & marine repairs
- Valve cover gaskets, Oil pan gaskets, threaded connections, cover plates, hose connections

Product No.	Pack Size	Carton QTY.
PX80016	85 g	12



Aviation Form-A-Gasket® No.3 Sealant Liquid

Description: Permatex Aviation Form-A-Gasket® is a slow-drying, non-hardening brush-top sealant approved for use in aviation as well as automotive applications. It seals and stops leaks in close fitting parts, machined surfaces and threaded connections and resists fuels, oil and grease

Features & Benefits:

- Easy to apply, brush on
- Dries slowly for easy re-assembly of parts
- Withstands pressures to 5000 PSI
- Temperature range -54°C to 204°C

Area of Application:

- Automotive, marine and aviation craft
- Solid Gasket Dressing
- Close-fitting machined surfaces, sealing hoses, solid gaskets

Product No.	Pack Size	Carton QTY.
PX80019	118 mL	12
PX80017	473 mL	12



Permatex **Sensor Safe Blue RTV Silicone Gasket Maker**

Description: Permatex Sensor Safe Blue is a single component, vulcanising gasketing compound designed to provide reliable “formed-in-place” gaskets. It cures on exposure to the air to form a tough, flexible, rubber gasket that resists cracking and shrinking. It is oxygen sensor safe and can be used to coat pre-cut gaskets to increase reliability.

- Features & Benefits:**
- OEM specified
 - Sensor-safe, resists auto shop fluids
 - Replaces most cut gaskets
 - Superior adhesion & flexibility
 - Temperature range -54°C to 260°C intermittent

Product No.	Pack Size	Carton QTY.
PX80022	85 g	12
PX80628	365 g	12

- Area of Application:**
- Automotive & marine repairs
 - Valve covers, oil pans, intake manifold ends seals, timing covers, water pumps, thermostat housings
 - Gasket dressing



Permatex **High Temp Red RTV Silicone Gasket Maker**

Description: Permatex High Temp Red Gasket Maker is formulated for hi-temp applications, or heavy-duty use (such as towing, etc.). It replaces almost any cut gasket by making reliable “formed-in-place” gaskets that resist cracking, shrinking and migrating caused by thermal cycling. It can also be used to coat pre-cut gaskets to increase reliability.

- Features & Benefits:**
- OEM specified
 - For high temp or heavy-duty use
 - Temperature range -54°C to 343°C intermittent
 - Makes reliable “formed in place” gaskets that resist cracking and shrinking
 - Auto shop fluid resistant

Product No.	Pack Size	Carton QTY.
PX81160	85 g	12
PX81409	311 g	12

- Area of Application:**
- Automotive valve covers, oil pans, timing covers, water pumps & thermostat housings



Permatex **Anaerobic Gasket Maker**

Description: Permatex Anaerobic Gasket Maker is a medium strength, gasketing material designed for use on aluminium, iron, and steel flanged surfaces. It is ideal for emergency repairs, or when a conventional gasket is unavailable and cures rapidly to a solvent-resistant seal that will not tear or decay during service.

- Features & Benefits:**
- OEM specified
 - Non-corrosive to aluminium or cast-iron parts
 - Fills gaps up to 0.38mm
 - Easy parts disassembly

Product No.	Pack Size	Carton QTY.
PX51813	50 mL	6

- Area of Application:**
- Automotive, motorcycle, marine repairs
 - Machined aluminium metal parts, transmission pans & case covers, transfer cases, split crankcases, pumps and housings, differentials etc



Permatex **Anaerobic Flange Sealant**

Description: Permatex Anaerobic Flange Sealant is a medium strength, flexible, gasketing material that cures rapidly (in the absence of air). It is designed for use on rigid machined flanges with less than 0.38mm gap. It provides a tough, resilient, solvent and temperature resistant seal that flexes with vibration, pressurisation or thermal changes.

- Features & Benefits:**
- OEM approved
 - Seals surface imperfections
 - Eliminates retorquing operations
 - Seals most common automotive fluids
 - Withstands temperatures to 149°C

Product No.	Pack Size	Carton QTY.
PX51531	50 mL	10

- Area of Application:**
- Automotive repairs
 - Water pumps, thermostat housings, transmission pans, transmission case covers, engine cases, timing covers, and transaxle casings



High Temperature Thread Sealant

Description: Permatex High Temperature Thread Sealant is a white, medium strength sealant with lubricating PTFE that locks and seals threaded fittings. It resists leakage, vibration loosening, moisture, hydraulic fluids and diesel fuels. Permatex High Temperature sealant lubricates threads for easy assembly and disassembly.

Product No.	Pack Size	Carton QTY.
PX59235	50 mL	6

Features & Benefits:

- OEM specified
- Resists leakage, vibration, moisture and fuels
- Parts may be re-positioned up to 4 hours after application
- Won't shred or tear like tapes
- Temperature range -54°C to 204°C

Area of Application:

- Automotive & industrial maintenance
- Head bolts into through holes, oil PSI sending units and sensors, oil and coolant lines, fuel fittings, rear axle fill plug, brake and power steering fittings
- Not suitable for plastic pipes



High Performance Thread Sealant

Description: Permatex High Performance Thread Sealant is formulated specifically for metal, tapered pipe thread fittings, it replaces Teflon® tape and pipe dopes. It cures rapidly to withstand up to 10,000 PSI and prevents galling and protects mated threaded areas from rust and corrosion. Contains lubricant PTFE.

Product No.	Pack Size	Carton QTY.
PX56521	50 mL	6

Features & Benefits:

- OEM specified
- Quick fixture time
- Prevents galling & corrosion
- Temperature & solvent resistant
- Immediate low pressure sealing
- Withstands up to 10,000 PSI

Area of Application:

- Automotive & industrial maintenance
- For pipe threads & fittings up to 5cm
- Stainless steel fittings, head bolts into through holes, oil PSI sending units/sensors, oil and coolant lines, intake manifold



Medium Strength Threadlocker Blue

Description: Permatex Medium Strength Threadlocker Blue is an all-purpose threadlocker, ideal for all nut and bolt applications 6mm to 20mm. It locks and seals while preventing parts loosening due to vibration and protects threads from corrosion. It removes easily with hand tools for disassembly and replaces expensive lock nuts and lock washers.

Product No.	Pack Size	Carton QTY.
PX24210	10 mL	6

Features & Benefits:

- OEM specified
- Removes easily with hand tools
- Locks and seals
- Prevents parts loosening with vibration
- Protects threads from corrosion

Area of Application:

- Automotive & industrial maintenance
- For nuts and bolts 6mm to 20mm
- Machine tools, pumps, compressors, Mounting bolts, gear boxes, pulley bolts



Permanent Strength Threadlocker Red

Description: Permatex Permanent Strength Threadlocker is a high strength product that is applied to fasteners 10mm to 25mm in size before assembly. It is designed for securing parts that must withstand heavy shock, vibration, or extreme chemical or environmental conditions. Localised heating and hand tools are required to separate parts.

Product No.	Pack Size	Carton QTY.
PX26210	10 mL	6

Features & Benefits:

- OEM specified
- Eliminates vibration issues
- Seals against leakage
- Cures without cracking or shrinking
- Temperature range -54°C to 149°C

Area of Application:

- Automotive & industrial maintenance
- For fasteners 10mm to 25mm
- Heavy equipment bolts, suspension bolts, Gear bolts, construction equipment, transmission shaft bolts



Permatex Seal + Lock

Description: Permatex has developed a one-of-a-kind product that combines the power of a thread sealant and a thread locker into one. Current products on the market can only seal or lock, but Permatex has created a revolutionary product that does both. With this hybrid thread compound, sealed connections will not loosen and locked fittings will not leak.

Product No.	Pack Size	Carton QTY.
PX57535	35 mL	6

Features & Benefits:

- Creates air and water tight seal
- Seals to 1000psi
- Locks to 120 lbs. sq. in.
- Temperature resistant between -51°C to 150°C
- Solvent resistant

Area of Application:

- Threaded freeze plugs
- Oil pressure sensor
- Fuel line supply nuts and bolts
- Threaded fuel injectors
- Coolant temperature sensor



Permatex The Right Stuff 90min

Description: The Right Stuff® 90 Minute Gasket Maker from Permatex. This superior product not only outperforms conventional pre-cut gaskets, but also cures in just 90 minutes. This is the only silicone on the market available in a squeeze tube that allows record return to service time. The Right Stuff® 90 Minute Gasket Maker was formulated to provide a strong and fast high flex silicone seal that offers excellent durability.

Product No.	Pack Size	Carton QTY.
PX25228	85 mL	12

Features & Benefits:

- 90min return to service
- Strong & fast seal
- Replaces per-cut gaskets
- Blowout resistant

Area of Application:

- Valve Covers
- Intake Manifolds
- Coolant Flanges
- Oil Pans
- Timing Covers
- Heavy-Duty Truck & Fleet



Permatex The Right Stuff® Gasket Maker

Description: Permatex The Right Stuff® is designed to make long-lasting, reliable 'formed-in-place' gaskets as a replacement for conventional gaskets. It cures at room temperature with superior bonding properties to oil contaminated metals, resists blowouts, and protects against leaks and seepage caused by vibration and thermal expansion without shrinking or cracking.

Product No.	Pack Size	Carton QTY.
PX33694	300 mL	6

Features & Benefits:

- OEM specified
- Replaces conventional gaskets
- Superior bonding, instant seal
- Non-corrosive, low in odour
- Temperature range -59°C to 232°C continuous, 260°C intermittent

Area of Application:

- Automotive mechanical assemblies
- Heavy duty and marine gaskets
- Valve covers, gearbox covers, pumps, oil pans, thermostat housings, differential assemblies, water pumps



PRODUCT	Ultra Blue Gasket Maker	Ultra Grey Gasket Maker	Ultra Black Gasket Maker	Ultra Copper Gasket Maker	High Temperature Gasket Maker	Anaerobic Gasket Maker	Water Pump & Thermostat Gasket Maker	The Right Stuff Grey Gasket Maker	The Right Stuff Black Gasket Maker	The Right Stuff Grey Gasket Maker	The Right Stuff Black Gasket Maker
PART NUMBER	98g - PX81724 269g Power Bead - PX85519 368g - PX81725	99g - PX89145 368g - PX82195	95g - PX82180 269g Power Bead - PX85080 368g - PX24105	85g - PX81878 300ml - PX59713	85g - PX81161 311g - PX81409	50ml - PX51813	14g - PX22071	85g -PX25228	85g -PX34328	85g - PX25238 147ml - PX34311 212g Power Bead - PX85144	85g Power Can - PX25229 147ml - PX29208 198g Power Can - PX25224 212g - PX85224 300ml - PX33694
TEMPERATURE RANGE	-54° to 260°C intermittent	-54° to 260°C intermittent	-54° to 260°C intermittent	-54° to 371°C intermittent	-54° to 343°C intermittent	-54° to 149°C	-54° to 260°C	-59° to 232°C continuous Up to 260°C intermittent"	-59° to 232°C continuous Up to 260°C intermittent"	-59° to 232°C continuous Up to 260°C intermittent"	-59° to 232°C continuous Up to 260°C intermittent"
SENSOR SAFE	YES	YES	YES	YES	NO	YES	YES	YES	YES	YES	YES
COLOUR	Blue	Grey	Black	Copper	Red	n/a	n/a	Grey	Black	Grey	Black
SET TIME	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	90 Minutes	90 Minutes	1 Minute	1 Minute
BENEFITS	Multipurpose	High-torque, high vibration	Maximum oil resistance	Max temperature	High temperature, heavy duty use	Anaerobic	High water-glycol resistance	High-torque, blow out resistant	Maximum Oil Resistance	High-torque, blow out resistant	Maximum Oil Resistance
APPLICATIONS	Valve covers, oil pans, timing covers	Valve covers, oil pans, automatic transmission pans, water pumps, thermostat housings.	Valve covers, oil pans, intake manifold end seals, timing covers, differential covers.	Exhaust manifolds/ headers, turbo charger applications, slip-fit exhaust parts.	Valve covers, oil pans, timing covers, water pumps, thermostat housings.	Machined metal components, transmission pans, case halves	Water pumps, thermostat housings	Automotive & marine gaskets, valve covers, oil pans, transmission pans	Automotive, heavy duty, & marine Gaskets, gearbox covers, water pumps	Automotive & marine gaskets, valve covers, oil pans, transmission pans	Automotive, heavy duty, & marine Gaskets, gearbox covers, water pumps



Low Strength Purple	Medium Strength Blue	Surface Insensitive Blue	Permanent Strength Red	High Strength Red	High Temperature Red	Large Diameter Red
Low Strength Purple PX24024 - 6mL	Medium Strength Blue PX24210 - 10mL PX24250 - 50mL PX24010 - 10g gel	Surface Insensitive Blue PX24350 - 50mL	Permanent Strength Red PX26210 - 10mL PX26250 - 50mL	High Strength Red PX27110 - 10mL PX27010 - 10g gel	High Temperature Red PX27240 - 36mL	Large Diameter Red PX27740 - 36mL
7/3	13/6	13/6	21/25	26/25	20/30	28/22
Up to 6 mm	6 - 20 mm	6 - 20 mm	10 - 25 mm	10 - 25 mm	10 - 38 mm	> 25 mm +
-54° to 149°C	-54° to 149°C	-54° to 149°C	-54° to 149°C	-54° to 149°C	-54° to 232°C	-54° to 232°C
Carburetors, relay locks, headlamps, throttle body assembly, body panel mounting fasteners, fine threads	Valve cover bolts, water pump bolts, oil pan bolts, drive shaft bolts, rocker arm adjustment nuts, carburetor studs	Rocker studs, rocker adjustment bolts, bolts on valve & cam covers, disc brake calipers, intakes, alternators, pulley assemblies	Cylinder block bolts, ring gear bolts, transmission shaft bolts	Cylinder block & rocker arm studs, ring gear bolts, frame bolts, shock absorber bolts	Camshaft sprocket bolts, crankshaft bolts, idler bearings, transmission input & output shaft threads, ring gear or shock bolts	Frame brackets, suspension fasteners, shock absorber mounts, wheel studs
LOW STRENGTH			MEDIUM STRENGTH			HIGH STRENGTH
			TORQUE IN Nm. (Break / Prevail) FASTENERS / FITTINGS TEMPERATURE RANGE			

Specialised Maintenance & Repair.



Rain-X® Headlight Restoration Kit



Description: Rain-X® Headlight Restoration kit provides a deep clean to oxidised, yellowed and hazed plastic headlights with its specially designed polish and sealant. Kit contains a three-step deep cleaning process for clearer headlight lenses and improved driving visibility.

Features & Benefits:

- Helps restore clear plastic by removing haze and discoloration
- Improves visibility with clearer headlight lenses
- Multi-step kit provides a deeper cleaning process than single step products

Area of Application:

- Automotive/vehicle maintenance
- Restores clear plastic headlight lenses

Product No.	Pack Size	Carton QTY.
800001809	KIT	6



Rain-X® Windshield Repair Kit



Description: Rain-X® Windshield Repair Kit helps minimize the appearance and stop the spread of chips and cracks in vehicle windshields. It removes air from the break and fills it with durable resin for a strong repair. Repairs round damage up to 2.5 cm in diameter, and cracks not longer than 30 cm.


Features & Benefits:

- Easy to use, takes only minutes
- Repairs all types of laminated windshields
- Advanced resin formula
- Makes multiple repairs

Area of Application:

- Home automotive/vehicle repairs
- Laminated windshields
- Single layer glass repair only

Product No.	Pack Size	Carton QTY.
600001	KIT	6



Permatex® Muffler & Tailpipe Bandage



Description: Permatex Muffler & Tailpipe Bandage is an epoxy-impregnated fibreglass bandage that chemically welds mufflers and tailpipes. It permanently repairs holes and leaks in exhaust systems and seals out poisonous fumes to temperatures up to 426°C.

Features & Benefits:

- Seals leaks & holes
- Epoxy-impregnated
- Seals out fumes to 426°C

Area of Application:

- Vehicle & equipment repairs
- Mufflers, tailpipes, farm equipment

Product No.	Pack Size	Carton QTY.
PX80331	5cm x 106cm	12



Permatex® Windshield Repair Kit



Description: Permatex Windshield Repair Kit makes permanent air-tight repairs on most types of damaged laminated windshield glass, including bulls eye's and star damage up to 31.75mm. The delivery system has been designed with an advanced spring-lock feature, allowing for professional-quality repairs with no mixing required and it cures by natural daylight.

Features & Benefits:

- Kit includes easy to follow instructions
- Repairs damage up to 31.75mm size
- Cures by natural sunlight
- No mixing required

Area of Application:

- Home automotive repairs
- Laminated windshields

Product No.	Pack Size	Carton QTY.
PX09103	KIT	6





Permatex Battery Protector & Sealer

Description: Permatex Battery Protector & Sealer coats and seals battery terminals eliminating the formation of acid salt corrosion typically found when terminals are untreated. Prevents terminal corrosion and battery drain, increases battery life and improves electrical flow. May be applied to batteries in out of storage.

Features & Benefits:

- Easy application, aerosol spray
- Prevents terminal corrosion
- Prevents battery drain
- Increases battery life
- Improves electrical flow

Area of Application:

- Automotive/vehicle maintenance
- Batteries, Cables, Terminals

Product No.	Pack Size	Carton QTY.
PX80370	141 g	12



Permatex Vinyl & Leather Repair Kit

Description: Permatex Vinyl & Leather Repair kit is the complete DIY repair kit to repair holes, tears, burns and cracks in automotive, and marine vinyl and leather upholstery. The kit contains a heat transfer tool, 7 colours of repair compound, clear vinyl adhesive and filler, grain pattern paper spatula, instructions and colour matching chart.

Features & Benefits:

- Complete kit for repair
- Contains easy to follow instructions
- Permanent repair
- Colour matching chart included

Area of Application:

- Home automotive/vehicle, marine repairs
- Vinyl & leather upholstery, dashboards, vinyl tops, car seats, chairs, stools, luggage and more

Product No.	Pack Size	Carton QTY.
PX80902	KIT	6



Permatex 1000° Plus™ Exhaust Repair Kit

Description: Permatex 1000° Plus™ Exhaust Repair is a complete kit for repairing cracks and splits in mufflers, tailpipes and exhaust pipes. Withstands temperatures over 540°C. The kit contains a ready-to-use foil-packed bandage and support wire.

Features & Benefits:

- Complete kit for repair
- Shock resistant
- Withstands temperatures over 540°C

Area of Application:

- Home automotive/vehicle repairs
- For catalytic converters, mufflers, tailpipes for cars, trucks, tractors, farm equipment

Product No.	Pack Size	Carton QTY.
PX80334	KIT	6



Permatex Valve Grinding Compound

Description: Permatex Valve Grinding compound mixes with water forming an easy to use paste, to aid valve grinding and seating operations. It can be used by hand or machine to remove burrs, surface defects, carbon, gum and corrosion and can be used for lapping and grinding chromium, hard faced seats and discs.

Features & Benefits:

- Easy to use, mix with water paste
- Speeds precision fit
- Non-corrosive, non-toxic
- Reduces repair costs
- Non-hardening formula

Area of Application:

- Home & industrial maintenance
- Hand or machine operations
- Valve seats, sharpen reel type mowers & cutting tools

Product No.	Pack Size	Carton QTY.
PX80036	42.5 g	12



Permatex Muffler & Tailpipe Putty

Description: Permatex Muffler & Tailpipe Putty permanently repairs holes and leaks in exhaust systems. It seals out fumes at temperatures to 1000°C and is safe for catalytic converters.

- Features & Benefits:**
- Permanently repairs holes and leaks in exhaust systems
 - Seals out fumes to 1000°C
 - Catalytic converter safe

Product No.	Pack Size	Carton QTY.
PX80333	2 x 113 g	12

- Area of Application:**
- Automotive repairs
 - Mufflers, tailpipes, joints and catalytic converters



Permatex Muffler & Tailpipe Sealer

Description: Permatex Muffler & Tailpipe Sealer is a specially formulated, waterproof, thick, non-slumping paste. It seals holes and leaks in mufflers, tailpipes and around joints and makes new installations more secure. It is shock resistant and resists temperatures to 1000°C.

- Features & Benefits:**
- Waterproof
 - Non-shrinking
 - Spreads easily
 - Resists temperatures to 1000°C

Product No.	Pack Size	Carton QTY.
PX80335	85 g	12

- Area of Application:**
- Automotive repairs
 - Mufflers, tailpipes, joints and catalytic converters



Permatex Rear View Mirror Adhesive

Description: Approved and used by GM, Ford and Chrysler. Permanently remounts mirrors to windshields. Achieves handling strength in seconds; mirror-mounting strength in 15 minutes.

- Features & Benefits:**
- Single use only
 - ODC-free

Product No.	Pack Size	Carton QTY.
PX81844	Kit	12

- Area of Application:**
- Mounting rearview mirrors to windshields



Permatex Extreme Strength Rear View Mirror Adhesive

Description: 2-part (towelette & pipette) professional strength rearview mirror adhesive & activator. Patent pending medical grade towelette helps to minimize application messes

- Features & Benefits:**
- Improves application accuracy
 - Provides a safer package for general consumers and professional installers

Product No.	Pack Size	Carton QTY.
PX81840	Kit	12

- Area of Application:**
- Mounting rearview mirrors to windshields



Permatex **Anti-seize Lubricant**

Description: Permatex Anti-seize Lubricant is a highly refined blend of aluminium, copper and graphite lubricants used during assembly to prevent galling, corrosion and seizing due to weathering or chemicals. Anti-Seize assures easier disassembly of parts and is salt, corrosion and moisture resistant making it ideal for marine use.

Features & Benefits:

- Lubricates assemblies exposed to high temperatures
- Reduces corrosion and seizing due to weathering and chemicals
- Salt, corrosion and moisture resistant
- Temperature range -51°C to 871°C

Product No.	Pack Size	Carton QTY.
PX81343	50 mL	10
PX80078	236 mL	12
PX81464	240 g Aerosol	12

Area of Application:

- Marine & automotive repairs
- Easy removal of spark plugs, cylinder head & exhaust head bolts, U-bolts, hinges, gears, chains, sprockets & rollers



Permatex **Dielectric Tune up Grease**

Description: Permatex Dielectric Tune up Grease is a silicone compound which protects electrical connections and wiring from salt, dirt and corrosion and improves tune-ups. It prevents voltage leakage around any electrical connection and extends the life of bulb sockets. It has good high temperature properties helping prevent spark plugs from fusing to boots.

Features & Benefits:

- Protects electrical connections and wiring
- Prevents voltage leaks
- Excellent rubber lubricant
- Improves connections

Product No.	Pack Size	Carton QTY.
PX81150	9 g	6
PX22058	85 g	6

Area of Application:

- Marine & automotive maintenance
- Electrical connections, spark plug boots, trailer hitches, battery terminals

Tyre Repair & Accessories.



Fix-A-Flat® Tyre Inflator



Description: Fix-A-Flat® Tire inflator is a single use, temporary solution, for emergency repairs. Fix-A-Flat® quickly seals tread area punctures up to 6mm in diameter, with enough inflation to lift the rim off the ground without requiring a jack or tools. Available in standard, large and extra large pack sizes.

Features & Benefits:

- Seals tread area punctures up to 6mm in diameter
- Non-toxic, easy and safe to use
- Seals & inflates in seconds
- Hose top compatible with all wheels

Area of Application:

- Automotive, 4WD, motorcycle, van tyres
- Emergency/temporary repair
- Treated tyres require repair within 3 days or 160km

Product No.	Pack Size	Carton QTY.
S60420 STANDARD	453 g Aerosol	6
S60430 LARGE	567 g Aerosol	6
S60269 X-LARGE	680 g Aerosol	6



Slime® Tube Sealant



Description: Slime Tube Sealant seeks out and instantly seals tread area punctures up to 3mm diameter using Fibro-Seal® technology. Its non-toxic, non-corrosive, water soluble formula won't dry out and remains liquid to create a protective layer that will repair punctures as they occur, for up to two years.

Features & Benefits:

- Instantly seals punctures up to 3mm diameter
- Seals multiple repairs repeatedly
- Non-toxic, non-hazardous
- Easy-to-use
- Water soluble

Area of Application:

- Bicycles, dirt bikes, wheelbarrows, ride-on mowers, prams

Product No.	Pack Size	Carton QTY.
10003	237 mL	6
10004	473 mL	6



Slime® Tyre Sealant



Description: Slime Tyre Sealant is a tubeless automotive tyre sealant for all tyres. Using Fibro-Seal® technology, it instantly and repeatedly repairs tread area punctures up to 6mm in diameter, for up to 2 years. Tyre Sealant, easy-to-use, non-toxic, non-corrosive and water soluble.

Features & Benefits:

- Seals multiple repairs for up to 2 years
- Repairs tread area punctures up to 6mm diameter
- Non-toxic, non-corrosive
- Water soluble

Area of Application:

- Automotive, 4WD, motorcycle, bicycle
- Wheelbarrows, Prams

Product No.	Pack Size	Carton QTY.
10011	473 mL	6
10008	710 mL	6
10009	946 mL	6



Slime® 2X Heavy Duty Tyre Inflator



Description: Slime 2X Heavy Duty Tyre Inflator is a high performing inflator with a dual piston motor to deliver maximum power for rapid inflation. It inflates a standard car tyre in 2 minutes and has a direct drive motor and thermal break feature to prevent over-heating.

Features & Benefits:

- Inflates standard tyres in 2 minutes
- Dual cylinder inflator for maximum power inflation
- Direct drive inflator connects directly to the battery
- Dial gauge in-line on the hose
- 9 Metre total reach with LED light and rigid carry case

Area of Application:

- Automotive, 4WD, motorcycle, van tyres

Product No.	Pack Size	Carton QTY.
40026	N/A	2





slime Digital Flat Tyre Repair Kit

Description: Slime Digital Flat Tyre Repair Kit combines tire sealant with a fast, push button inflator for emergency tyre repairs in 4 simple steps. The inflator connects to 12v accessory power, while the sealant seeks out and seals tread area punctures up to 6mm diameter with repair and inflation complete in 8 minutes.

- Features & Benefits:**
- Repairs & inflates standard tyre in 8 minutes
 - Digital display gauge
 - Pressure release valve
 - Sealant cartridge refill available

Product No.	Pack Size	Carton QTY.
50123	KIT	2
10179	450 mL Refill	4

- Area of Application:**
- Standard automotive tyre
 - Emergency/temporary repair
- Note:** Treated tyres require repair within 3 days or 160km.



slime Smart Spair Emergency Flat Tyre Repair Kit

Description: Slime Smart Spair Flat Tyre Repair Kit combines tire sealant with an inflator as a two-step, emergency tyre repair system. The sealant seeks out and seals tread area punctures up to 6mm in diameter and the inflator uses 12v accessory power to inflate the tyre in 8 minutes.

- Features & Benefits:**
- Repairs & inflates standard tyre in 15 minutes
 - Seals & repairs tread area punctures up to 6mm diameter
 - Valve core removal tool included in cap of bottle
 - Includes multi-purpose air adaptors

Product No.	Pack Size	Carton QTY.
50107	KIT	3

- Area of Application:**
- Standard automotive tyre
 - Emergency/temporary repair
- Note:** Treated tyres require repair within 3 days or 160km.



slime Mini Dial Magnet

Description: Slime Mini Dial Magnet is a standard tyre gauge designed as a compact unit to store easily inside the fuel tank door. Measure 0 to 60 psi. Mini gauges are supplied in a counter top display containing 12 gauges, ready for sale separately.

- Features & Benefits:**
- Counter top display contains 12 gauges
 - Gauge magnetically stores inside a fuel tank door
 - 0 to 60 psi

Product No.	Pack Size	Carton QTY.
20055	12PK	12

- Area of Application:**
- Suits most standard tyres



slime Large Face Dial Gauge

Description: Slime The Large Face Dial Tyre Gauge is made of sturdy chrome, it is easy to read and easily fits onto a standard Schrader valve. It is equipped with a pressure release valve for quick adjustments to suit any driving situation.

- Features & Benefits:**
- Read psi & bar
 - Large face dial 56mm
 - Maintaining proper tire pressure reduces fuel consumption and maximizes tyre life
 - Features a pressure release button for quick adjustments
 - 5 to 60 psi

Product No.	Pack Size	Carton QTY.
20049	1 pc	6

- Area of Application:**
- Suitable for Schrader Valves



slime Digital Tyre Gauge

Description: Slime Digital Tyre Gauge is easy to use and measures from 5 to 150 psi. It has an automatic shut off for longer battery life, is tyre sensor safe, and has a lighted tip to make checking tyre pressure at night fast and easy.

Features & Benefits:

- Easy to read display
- Measures in psi, kPa and bar
- Automatic shut off
- Illuminated tip for night use
- 5 to 150 psi

Product No.	Pack Size	Carton QTY.
20017	1 pc	4

Area of Application:

- Suits automotive tyres



slime Ultimate Digital Gauge

Description: Slime Ultimate Digital Gauge measures from 0 to 100 psi and features a programmable pressure setting, making it easy to inflate tyres to their optimum level. It connects easily with a flexible 15cm hose, is tyre sensor safe, and has an easy to read backlit display.


Features & Benefits:

- Easy to read display with bright LED light
- Programmable pressure setting
- Flexible hose
- Dynamic bleeder valve
- 0 to 100 psi

Product No.	Pack Size	Carton QTY.
20202	1 pc	6

Area of Application:

- All automotive tyres



slime High Pressure Gauge

Description: Slime High Pressure Gauge measures from 10-160 psi and features a tough rubber housing for maximised grip. It also includes a built in reset button and bleeder valve. Ideal for checking tyre pressure on cars, trucks and SUV's.

Features & Benefits:

- Dial face reads psi, kPa and bar
- Dual function pressure release and reset button
- Rugged rubber housing for maximized grip
- Shaft length: 40mm
- 10 to 160 psi

Product No.	Pack Size	Carton QTY.
20186	1 pc	6

Area of Application:

- High pressure tyres found on cars, trucks and SUV's



slime Dually RV Dial Gauge

Description: Slime Dually RV Dial Gauge is a dual head tyre gauge housed in shock resistant rubber and measures from 10 to 160 psi. The dial face is easy to read and its long body and convenient air hose allows for easy reach through wheel wells.

Features & Benefits:

- Dual head gauge with bleeder valve
- Reads psi, kPa and bar
- Easy reach braided air hose (228mm)
- Fits Schrader valve stem
- 10 to 160 psi

Product No.	Pack Size	Carton QTY.
2020-A	1 pc	6

Area of Application:

- Trucks, SUV's, RV's & 4WD's



slime Heavy Duty Single Barrel Foot Pump

Description: Slime Heavy Duty Foot Pump, with its easy glide action and built in dial gauge, is the fast and easy way to inflate bike tyres, balls and other inflatables.

Features & Benefits:

- Inflates faster than a standard hand pump
- Built with easy glide action
- Easy-to-use
- Designed with a heavy-duty single barrel

Product No.	Pack Size	Carton QTY.
2063	1 pc	8

Area of Application:

- Bicycle, pram, lawn mower tyres
- Inflatables



slime Super Thick Self Sealing Tubes

Description: Slime Super thick self-sealing tubes pre-filled with puncture seeking sealant, provide extra protection against punctures. They seal punctures up to 3mm, are environmentally safe and seals repeatedly for up to 2 years.

Features & Benefits:

- Seals multiple punctures for up to 2 years
- Treats tread area punctures up to 3mm
- Non-toxic, non-flammable
- Cleans up with water
- Size 26" x 1.75-2.125" Schrader

Product No.	Pack Size	Carton QTY.
30081	1 pc	4

Area of Application:

- Bicycle tyres – Suit 26" x 1.75-2.125" Schrader Valve



slime Tyre SKABS Peel & Stick Patches

Description: Slime Tyre SKABS make patching a tyre easy, no glue or cement is required, just scuff up the area around the puncture and stick on the patch. Patches and scuff are packed in a plastic compact for easy storage in a bike bag.

Features & Benefits:

- 6 x Pre-glued 25mm patches
- Metal Scuffer
- 2 x Tire Levers
- Compact package for easy storage

Product No.	Pack Size	Carton QTY.
20027	KIT	4

Area of Application:

- Tubeless off-road tyres
- ATV's, wheelbarrows, lawn mowers



slime Deluxe Tyre Plug Kit

Description: Slime Deluxe Tyre Plug Kit includes everything required to plug up tyre punctures. The ergonomic, pistol-grip handle reamer and pluggers tool cleans the hole and inserts the heavy-duty tyre strings. Ideal for ATV's, wheelbarrows, lawn mowers and other tubeless off-road tires.

Features & Benefits:

- Reamer & Pluggers tools reach 68mm depth
- Includes heavy duty & extra long strings
- Odourless plugs
- Includes rubber cement

Product No.	Pack Size	Carton QTY.
2040-A	KIT	6

Area of Application:

- Tubeless off-road tyres
- ATV's, wheelbarrows, lawn mowers



slime Tyre Repair Plugs

Description: Slime Tyre Repair Plugs are standard size repair plugs for repairing tubeless off-road tyres, such as ATV's, wheelbarrows, lawn mowers, trailers and more. Use as supplied or as a refill for Tyre Plug Kits.

Features & Benefits:

- Pack contains 30 black 7 ply repair strings
- Length 101.6mm each
- Odourless
- No glue needed

Area of Application:

- Tubeless off-road tyres
- ATV's, wheelbarrows, lawn mowers

Product No.	Pack Size	Carton QTY.
1031-A	PK30	6



slime Tyre Tackle Kit

Description: Slime Tyre Tackle Kit is a large 9-piece kit, containing every tool needed for flat tyre repairs on cars or trucks, packed in a handy compartmentalized case, to keep tools and accessories organized and accessible. Fits easily in the glove box or boot.

Features & Benefits:

- 9 Piece Kit in carry box
- T-Handle Reamer
- T-Handle Plugger
- Pencil Gauge (5 to 50 psi)
- 6 x Tyre Plug strings 7 ply

Area of Application:

- Tubeless off-road tyres
- ATV's, wheelbarrows, lawn mowers

Product No.	Pack Size	Carton QTY.
20133	KIT	4



slime Tyre Plug Kit

Description: Slime Tyre Plug Kit is an 8-piece kit including the ergonomic T-handle reamer and plugger tools to clean the hole and insert the heavy-duty tyre strings. Ideal for ATV's, wheelbarrows, lawn mowers and other tubeless off-road tyres.

Features & Benefits:

- 8 Piece Kit
- T-Handle Reamer
- T-Handle Plugger
- 5 x Tyre Plug Strings
- Rubber Cement


Area of Application:

- Tubeless off-road tyres
- ATV's, wheelbarrows, lawn mowers

Product No.	Pack Size	Carton QTY.
1034-A	KIT	6

SLIME BASICS

Since 1989, Slime has been the world's safest and most effective sealant. When a puncture occurs, our patented sealant is carried directly to the puncture. The pressure of the escaping air forces the Fibro-Seal® particles into the opening, where they build up and intertwine to form a long-lasting, flexible plug. Instantly, air loss is blocked and a flat tire is prevented.



With a low freezing point of -37°C and a high separation point of 82°C, our sealants will remain effective under the most extreme temperatures. Slime tube and tire sealants are non-toxic, non-flammable and clean up easily with water. Our sealant is specially designed to be non-corrosive, making it safe for tires and rims. It can be safely removed from the tire, enabling the permanent application of an RMA (Rubber Manufacturers Association) approved plug/patch.

HOW TO USE SLIME		PREVENT FLATS	REPAIR FLATS
	CAR	●	✓
	TRUCK/4x4	●	✓
	SUV	●	✓
	MOTORCYCLE/SCOOTER	●	✓
	ATV/GOLF CART/TRAILER	✓	✓
	WHEELBARROW/MOWER/TRACTOR	✓	✓
	BICYCLE/DIRT BIKE	✓	✓

TPMS COMPATIBILITY (!)

In order for a tire sealant to be accepted by leading sensor manufacturers, it must pass three product tests. After each test, the sensor is reinstalled on the vehicle and checked for proper functionality. A sensor must be functional after all three tests in order for the sealant to be endorsed by TPMS (Tire Pressure Monitoring Systems) manufacturers.

THE INSTALLATION TEST



PASSED

In this test, sealant must pass freely through the sensor without clogging the device. In order to pass, the sensor must show no evidence of clogging.

THE SUBMERSION TEST



PASSED

During this test, the sensor is fully submerged in the sealant, simulating exposure to the sealant inside a tire. In order to pass, the sensor must remain fully functional and show no evidence of damage.

THE VAPOR TEST



PASSED

In this test, the sensor is exposed to the sealant, then heated to 70°C, a temperature within the operating specifications of the tire and tire sensor. This simulates the high operating temperature of a tire in use. In order to pass, no evidence of sensor damage may be present.

Heavy Duty Cleaning.

Chemtech
MADE TO WORK



Chemtech Clean 'N' Easy[®] TR50 Brick, Tile & Paver Cleaner



Description: Chemtech Clean 'N' Easy TR50 rapidly cleans brick & concrete, quarry and wall tiles, rubber, vinyl, plastic and metal surfaces. TR50 removes grease and stains on concrete driveways and garage floors, cleans bbq areas and pool surrounds as well as removing soap scum build-up in showers.

Features & Benefits:

- Lifts stains on concrete without damage to the surface
- Excellent pre-treatment for concrete prior to painting or tiling
- Removes compo and slurry stains from bricks, blocks and tiles
- Brings bare metals such as brass and stainless steel back as new again

Area of Application:

- Trade or DIY use
- Bricks, tiles, rubber, vinyl, plastic & most metal surfaces
- Brush, broom, sponge
- Not suitable for laminates or porcelain

Product No.	Pack Size	Carton QTY.
TR50-1L	1 L	6
TR50-5L	5 L	4



Chemtech Clean 'N' Easy[®] CT82 Concrete & Driveway Cleaner



Description: Chemtech Clean 'n' Easy CT82 Concrete & Driveway Cleaner is a heavy duty, biodegradable, non-toxic, water based, concentrated cleaner and degreaser that removes oil, grease and grime from concrete paths and driveway surfaces. CT82 Concrete & Driveway Cleaner works quickly to break down and emulsify oil and grease and is safe to use on coloured concrete at the recommended dilution rate.

Features & Benefits:

- Water based cleaner/degreaser
- Safe to use on coloured concrete at recommended dilution rate
- Biodegradable & non-toxic
- Does not affect plastic, rubber, glass and most metals

Area of Application:

- Paths and Concrete driveways, Pavers, Quarry tiles
- Lube bays, Garage and workshop floors

Product No.	Pack Size	Carton QTY.
CT82-1L	1L	6
CT82-5L	5L	4



Chemtech Clean 'N' Easy® Concentrated Rust, Red Soil & Bore Water Stain Remover



Description: Chemtech Clean 'n' Easy Rust Off is a heavy duty, concentrated cleaner that removes rust, red soil and bore water stains from most surfaces including chrome, alloy, stainless steel, wrought ironwork, roof and gutters, machine parts, tools, nuts & bolts, concrete, pavers, bricks, terrazzo tiles, fibreglass, rubber and gelcoat.

Features & Benefits:

- Cleans rust from all rusted metal surfaces
- Cleans and removes rust and water stains from concrete pavers and terrazzo tiles
- Removes rust and stains from fiberglass, gelcoat, rubber and timber surfaces

Area of Application:

- Home and Building, Automotive and Marine applications
- Cleans most metal surfaces and will remove rust and stains from brickwork, masonry and concrete surfaces

Product No.	Pack Size	Carton QTY.
RUO-1L	1L	6



Hygiene.

SEPTONE

Chemtech
MADE TO WORK

rainx



Septone® Mop & Scrub



Description: Mop & Scrub no rinse cleaner is designed for cleaning lightly soiled sealed or unsealed floors and contains a pleasant floral fragrance. Mop & Scrub is a labour saving non-dulling neutral cleaner. Mop & Scrub reduces the time and labour necessary for effective cleaning by eliminating the need for rinsing. Mop & Scrub dries film free and leaves no dulling residue behind.

Features & Benefits:

- Biodegradable, pH Neutral
- Septic safe
- Environmentally safe

Area of Application:

- Safe to use on polished floors
- Sealed and unsealed floors



Product No.	Pack Size	Carton QTY.
HFMS5	5 L	3
HFMS20	20 L	EACH

Septone® Blockettes



Description: Septone Blockettes are perfumed p-Dichlorobenzene, air freshening blocks, used in washrooms and toilet areas. Septone Blockettes slowly release their Tutti Frutti perfumed vapours into the air, suppressing and replacing unpleasant malodours.

Features & Benefits:

- Air freshening, slow release
- Tutti Frutti fragranced
- Suppresses malodours
- 99% active p-Dichlorobenzene

Area of Application:

- Trade/commercial use
- Washrooms/toilet areas
- Shopping centres, mine sites, office blocks



Product No.	Pack Size	Carton QTY.
HDB4	4 kg	4
HDB9	9 kg	EACH
HDB15	15 kg	EACH

Septone® Pacific Breeze



Description: Septone Pacific Breeze is specifically designed to reduce unpleasant emissions in sewage treatment plants, abattoirs, waste disposal sites, compactors, waste bins and grease traps. Septone Pacific Breeze has been formulated using a biodegradable surfactant and can also be used as a commercial/household grade disinfectant.

Features & Benefits:

- Odour control agent
- Concentrated commercial grade formula
- Biodegradable, pH Neutral
- Fresh tutti frutti fragrance
- Safe on paint and hard surfaces

Area of Application:

- Commercial/household use
- Waste treatment plants, waste disposal, bins, grease traps
- Sponge/mop/spray

Product No.	Pack Size	Carton QTY.
HSPB5	5 L	3
HSPB20	20 L	EACH



Septone® Lemon Brite



Description: Lemon Brite is a concentrated laundry powder which is designed for use in both commercial and domestic washing machines. Lemon Brite cleans clothes effectively and makes whites whiter and colours brighter while being gentle to fabrics. Lemon Brite is biodegradable, phosphate-free and non-polluting. Lemon Brite is safe for use on all washable fabrics including wool and may be used in hot or cold water.

Features & Benefits:

- Biodegradable, pH Neutral
- Septic safe
- Environmentally safe

Area of Application:

- Safe on all washable fabrics
- Performs in hot or cold water
- For use in both top & front loading machines

Product No.	Pack Size	Carton QTY.
HLLB10	10 Kg	EACH
HLLB20B	20 Kg	EACH





SEPTONE Lemon X-5 Commercial Grade Disinfectant

Description: Septone Lemon X-5 is a quaternary ammonium compound disinfectant cleaner, containing a lingering fresh lemon fragrance. It can be used to disinfect and clean floors, walls, sinks, baths, shower recesses, toilet bowls, urinals, tiles and for any situation which requires control of bacterial contamination of surfaces or equipment.

Features & Benefits:

- Concentrated commercial grade formula
- Biodegradable, pH Neutral
- Fresh, long-lasting lemon fragrance
- Disinfects and cleans
- Safe on paint, polished floors and hard surfaces

Area of Application:

- Commercial/household use
- Hard surfaces
- Sponge/spray/mop

Product No.	Pack Size	Carton QTY.
HDLX5	5 L	3
HDLX20	20 L	EACH



SEPTONE Pinearoma

Description: Septone Pinearoma is a quaternary ammonium compound disinfectant cleaner, effective against a wide range of microorganisms. It kills organisms which cause malodours making it an effective deodoriser providing a pleasant residual pine fragrance. Septone Pinearoma will not affect paint, polished surfaces, enamel, stainless steel, glass, leather, ceramics, laminates, wood or plastics.

Features & Benefits:

- Concentrated commercial grade formula
- Biodegradable, pH Neutral
- Disinfects and cleans
- Effective deodoriser
- Safe on paint, polished floors and hard surfaces

Area of Application:

- Commercial/household use
- Hard surfaces
- Sponge/spray/mop

Product No.	Pack Size	Carton QTY.
HDP5	5 L	3
HDP20	20 L	EACH



SEPTONE Bio Green

Description: Septone Bio-Green is a heavy-duty general purpose cleaner/degreaser concentrate. Its unique combination of biodegradable natural citrus oil extract, coconut detergent and surfactants combine to give excellent performance in almost any cleaning application.

Features & Benefits:

- Biodegradable, pH Neutral
- Quick break and water soluble
- Environmentally sensitive formula

Area of Application:

- Washable surfaces
- Garage floors
- Kitchen surfaces
- Outdoor furniture

Product No.	Pack Size	Carton QTY.
HSBG5	5 L	3
HSBG20	20 L	EACH



SEPTONE Spray & Wipe

Description: Septone Spray & Wipe is a general purpose, ammonia free, hard surface cleaner with a fresh lemon fragrance. It removes smears, water based ink marks, smog, cooking oils and other soil deposits. Septone Spray & Wipe is safe on laminated surfaces, whitegoods, walls, porcelain, chrome and stainless steel.

Features & Benefits:

- Fresh lemon fragrance
- Ammonia free
- Hard surface cleaner
- Removes, smears, oils and other soil deposits

Area of Application:

- Commercial/household use
- Hard surfaces
- Atomiser spray

Product No.	Pack Size	Carton QTY.
HGSW750	750 mL	12
HGSW5	5 L	3
HGSW20	20 L	EACH



SEPTONE Sani Safe Plus Sanitising Hand Gel

Description: Dries in seconds without leaving your hands sticky moisturiser added, making it gentle enough for regular use. Fresh blue formula that is fragrance free, making it suitable for a broad range of uses including food handling.

Features & Benefits:

- Kills 99.9% of germs
- Strong alcohol-based formulation containing 70% Ethanol
- Pump pack for easy hands-free dispensing
- Sanitises without water with no washing or rinsing required

Product No.	Pack Size	Carton QTY.
ISHSP500	500 mL	12
ISHSP5L	5 L	4

Area of Application:

- Commercial/household use
- Food preparation, childcare, nursing homes, office



SEPTONE Sani Safe Aloe Sanitising Hand Gel

Description: Gentle Aloe Vera formula that moisturises and protects your skin. Dries in seconds without leaving your hands sticky moisturiser added, making it gentle enough for regular use.

Features & Benefits:

- Kills 99.9% of germs
- Strong alcohol-based formulation containing 70% Ethanol
- Pump pack for easy hands-free dispensing

Product No.	Pack Size	Carton QTY.
ISHSA500	500 mL	12

Area of Application:

- Commercial/household use
- Food preparation, childcare, nursing homes, office



SEPTONE Sani Safe Sanitising Hand Gel

Description: Septone Sani Safe kills germs without water. It is a fragrance free, alcohol based sanitising gel that air dries in seconds and provides protection from cross infection when handling food, changing nappies and after toilet use. Septone Sani Safe is pH balanced and contains moisturisers to be gentle to the skin.

Features & Benefits:

- Kills 99.95% of germs
- Air dries in seconds
- Alcohol based no rinse formula
- Contains moisturisers
- pH balanced

Product No.	Pack Size	Carton QTY.
IPODSS1	1 L	6

Area of Application:

- Commercial/household use
- Food preparation, childcare, nursing homes, office



Chemtech MADE TO WORK Portasol Portable Toilet Sanitiser

Description: Chemtech Portasol is a concentrated, antibacterial waste breaker and sanitiser. Its powerful formula breaks down waste and destroys offensive odours in portable toilets, leaving them hygienically clean and fresh. Chemtech Portasol is also Formaldehyde free and can normally be disposed of in an approved sewerage or septic system.

Features & Benefits:

- Highly concentrated formula (up to 25 doses/Litre)
- Treats all brands and types of portable toilets
- Works in fresh or salt water toilets
- Formaldehyde free

Product No.	Pack Size	Carton QTY.
POR-1L	1 L	6
POR-5L	5 L	4

Area of Application:

- Trade/Home use
- Caravans, motorhomes, buses, boats, camping
- Industrial & construction sites, outdoor venues



rainx Shower Door X-treme Clean

Description: Rain-X® Shower Door X-treme Clean removes harsh build-up on glass shower doors to leave a sparkling clean surface. This unique product, specially formulated for use on glass shower doors, is ideal for removing soap scum, dirt, hard water build-up, calcium, lime stains and rust stains.

Features & Benefits:

- For glass surfaces only
- Removes soap scum & hard water stains
- Provides an extreme-clean, leaves sparkling shine
- Ideal preparation for Shower Door Water Repellent

Product No.	Pack Size	Carton QTY.
630035	355 mL	6

Area of Application:

- Household use
- Glass Shower Doors



rainx Shower Door Water Repellent

Description: Rain X® Shower Door Water Repellent uses advanced technology that causes water to bead and slide off glass surfaces. Regular use helps prevent hard water stains, soap scum and grime build-up on glass shower doors.

Features & Benefits:

- Easy to apply
- Long lasting durable coating
- Helps prevent soap scum and water stain build-up

Product No.	Pack Size	Carton QTY.
630023	473 mL Trigger	6

Area of Application:

- For glass surfaces
- Bathroom Shower Doors

Note: *Not suitable for use on Plastic surfaces*



rainx Bathroom Mirror Anti-Fog

Description: Rain-X® Bathroom Mirror Anti-Fog is specifically formulated, using advanced technology to prevent fogging and steaming on mirrored and glass surfaces instantly. It leaves a long-lasting coating that is easy to apply and streak free using the handy trigger pack.

Features & Benefits:

- Helps prevent fogging and steaming on bathroom mirrors and glass surfaces
- Easy to apply
- Long lasting
- Streak-free finish

Product No.	Pack Size	Carton QTY.
630034	355 mL Trigger	6

Area of Application:

- Bathroom mirrors and windows
 - For glass surfaces and mirrored surfaces
- Note:** *Not suitable for use on Plastic surfaces*



SEPTONE C-Thru Glass Cleaner

Description: Septone C-Thru Glass Cleaner removes smears, finger marks, grime and other soil deposits, leaving a sparkling, streak-free finish. It can safely be used on glass and permanent tint windows, windscreens, mirrors, white goods, laminates, chrome and stainless steel surfaces, ceramic, splashbacks and porcelain. Septone C-Thru will not damage paintwork, upholstery or rubber.

Features & Benefits:

- Ready to use
- Ammonia free
- Safe for permanent tint windows
- Leaves a sparkling clean finish
- Cleans most hard surfaces

Product No.	Pack Size	Carton QTY.
AVCT750	750 mL	12
AVCT5	5 L	3
AVCT20	20 L	EACH

Area of Application:

- Trade/household/office use
- Automotive interior & exterior surfaces
- Laminates, whitegoods, windows, mirrors, Stainless steel and chrome



SEPTONE Kleengloss Glass Cleaner

Description: Septone Kleengloss is a concentrated glass and window cleaner which removes smears, finger marks, grime and other soil deposits. It can be used on glass windows, windscreens, mirrors, whitegoods, laminated surfaces, chrome and stainless steel surfaces, ceramic tiles and porcelain. Septone Kleengloss will not damage paintwork, upholstery or rubber.

Features & Benefits:

- Ammonia free
- Leaves a sparkling clean finish
- Dries quickly
- Cleans most hard surfaces

Area of Application:

- Trade/commercial cleaning use
- Glass windows & mirrors, stainless steel, whitegoods and laminates

Product No.	Pack Size	Carton QTY.
AVK20	20 L	EACH



SEPTONE Bright Bowl Toilet Bowl + Urinal Cleaner

Description: Septone Bright Bowl is a biodegradable, pleasantly fragranced, acidic cleaner, formulated to clean and disinfect toilet bowls, urinals and washroom floors. Bright Bowl's thickened formula removes organic matter, inhibits corrosion and is suitable for use on porcelain, stainless steel, ceramic tiles, plastic, glass and concrete.

Features & Benefits:

- Biodegradable
- Thickened acidic formula
- Removes rust stains & brightens stainless steel
- Disinfects and cleans
- Suitable as a washroom floor cleaner when diluted

Area of Application:

- Household or commercial cleaning
- Washrooms and bathroom floors
- Mine sites, home or office

Product No.	Pack Size	Carton QTY.
HDBB5	5 L	3
HDBB20	20 L	EACH



PRODUCT TYPE

CODES, PACK SIZES

**DIRT, SOOT
& ROAD GRIME**

**COOKING OILS, FATS
& FOOD SOILS**

**FINGER MARKS, SMEARS
& TOBACCO STAINS**

**GREASE, FAT
& PROTEIN SOILS**

**RUST , SCALE
& URIC ACID**

**CALCIUM, SOAP SCUM
& PLAQUE**

**MOULD , GERMS
& BACTERIA**

**PAINTED
SURFACES**

**WHITE GOODS, STAINLESS &
FOOD PLASTICS**

**PORCELAIN, TOILET BOWLS
& URINALS**

**GLASS
& PERSPEX**

**FLOORS, WALLS
& BENCH TOPS**

	ANTIBACTERIAL CLEANER	GP DEGREASER	URINAL CLEANER	DISINFECTANT	DISINFECTANT
	HGSW20	HSBG20	HDBB20	HDP20	HDLX20
	HGSW5	HSBG5	HDBB5	HDP5	HDLX5
	HGSW750				
SOILS					
	✓	✓		✓	✓
	✓	✓		✓	✓
	✓	✓		✓	✓
	✓	✓		✓	✓
			✓		
			✓		
	✓			✓	✓
SURFACES					
	✓	✓			
	✓	✓		✓	✓
			✓		
		✓		✓	✓

Hand & Skin Care.



Permatex® Fast Orange



Description: Permatex Fast Orange is a natural, biodegradable, waterless hand cleaner containing no petroleum solvents. It effectively cleans hands with natural citrus and fine pumice and soothes raw rough hands with its skin conditioners including aloe vera, lanolin, glycerine and jojoba oil.

Features & Benefits:

- Natural citrus
- Waterless
- Contains pumice
- Deep cleans tough dirt, oil & grime
- Contains skin conditioners

Area of Application:

- Trade/household use
- Construction sites, industrial workshops



Product No.	Pack Size	Carton QTY.
PX25122	443 mL	12
PX25217	1.8 L	6
PX25218	3.78 L	4
PX95185	20 L	EACH

Septone® Eliminator



Description: Septone Eliminator is a specialty hand cleaner designed specifically to remove paints, adhesives and resin based products including acrylics, enamels, urethanes, epoxies, 2-pack paints, marine and household paints, varnishes and stains, body fillers and sealants. Septone Eliminator's unique formula also contains fast working pumice and moisturisers to help prevent dry skin.

Features & Benefits:

- Unique hydrocarbon solvent free formula
- Waterless, silicone free
- Contains pumice
- Removes a wide range of paints, resins & adhesives
- Pleasant fragrance

Area of Application:

- Trade/household use
- Automotive refinishing, construction, furniture & paint trades



Product No.	Pack Size	Carton QTY.
IHPE500	500 mL	12
IHPE4	4 L	4

Septone® Protecta Grit



Description: Septone Protecta Grit is an extra heavy duty, industrial solvent hand cleaner, formulated to remove ingrained deposits of grease, oil, metal dust, coal dust and most industrial soils. Its waterless formula contains pumice abrasive for fast cleaning ability, combined with aloe vera, lanolin and jojoba oil to help moisturise the skin.

Features & Benefits:

- Waterless, solvent based
- Silicone free
- Contains pumice
- Removes ingrained dirt & grime
- Contains skin conditioners & moisturisers

Area of Application:

- Trade/household use
- Mechanical, industrial workshops
- Mines, construction sites, fishing trawlers

Product No.	Pack Size	Carton QTY.
IHPG500	500 g	12
IPOD3GR	3 L	4
IHPG4	4 L	4
IHPG20	20 Kg	EACH



Septone® Orange Scrub



Description: Septone Orange Scrub is a biodegradable hand cleaner containing high quality citrus oils and fast working pumice abrasive. It is designed to remove most industrial soils including, grease, oil, dirt, mud, coal dust and solvents. Septone Orange Scrub is pH controlled and contains moisturisers to leave your hands clean and fresh.

Features & Benefits:

- Citrus based with natural fragrance
- Waterless
- Contains pumice
- Silicone free
- Removes grease, oil, dirt, mud and tree sap

Area of Application:

- Trade/household use
- Mechanical, industrial workshops
- Mining, construction, fishing industries

Product No.	Pack Size	Carton QTY.
IHOS500	500 mL	12
IHOS2	2.5 L	3
IPOD30	3 L POD	4
IHOS5	5 L	4
IHOS20	20 L	EACH





SEPTONE Protecta Pink

Description: Septone Protecta Pink is a heavy duty, industrial solvent hand cleaner formulated to remove grease, oil, metal dust, coal dust and most heavy industrial soils. Its smooth, waterless formula, provides fast cleaning ability, combined with aloe vera, lanolin and jojoba oil for added skin protection and moisturising.

Features & Benefits:

- Solvent based
- Waterless
- Silicone free
- Cleans dirt, oil & grime
- Contains skin conditioners & moisturisers

Area of Application:

- Trade/household use
- Mechanical, industrial workshops
- Mines, construction sites, fishing trawlers

Product No.	Pack Size	Carton QTY.
IHPP500D	500 mL P/PK	12
IHPP500R	500 mL REFILL	12
IPOD3P	3 L POD	4
IHPP4	4 L	4
IHPP20	20 Kg	EACH



SEPTONE Citra Scrub

Description: Septone Citra Scrub is a heavy duty, waterless, hand cleaner containing citrus oils, formulated to remove most industrial soils including, grease, oil, dirt, mud, solvents and coal dust. It contains natural scrubbers to gently remove ingrained soils with added moisturisers to help prevent dry skin.

Features & Benefits:

- Waterless, citrus based
- Silicone free
- Contains natural scrubbers
- Removes ingrained dirt & grime
- Contains skin conditioners & moisturisers

Area of Application:

- Trade/household use
- Mechanical, industrial workshops
- Mines, construction sites, fishing trawlers

Product No.	Pack Size	Carton QTY.
IHCS500	500 mL	12
IHCS4	4 L	4
IHCS20	20 Kg	EACH



SEPTONE Nature Clean

Description: Septone Nature Clean is a solvent free, silicone free, water based, hand cleaner designed to remove most soils including dirt, dusts and greases. Septone Nature Clean can be used in hard water, sea and bore water. It contains natural scrubbers to gently remove dirt and with regular use can help prevent industrial dermatitis.

Features & Benefits:

- Solvent free formula
- Silicone free
- Contains natural scrubbers
- pH controlled, low irritancy
- Helps prevent industrial dermatitis

Area of Application:

- Trade/household use
- Mining, construction, fishing industries

Product No.	Pack Size	Carton QTY.
IHNC5D	5 L P/PK	4
IHNC20	20 L	EACH



SEPTONE Protecta Gold

Description: Septone Protecta Gold is a heavy duty, solvent free, silicone free, hand cleaner formulated for low skin irritancy. It contains natural scrubbers to gently clean hands and removes most industrial soils, including dirt, mud, coal dust, oils, grease and solvents. With regular use Septone Protecta Gold can help prevent industrial dermatitis.

Features & Benefits:

- Solvent free formula
- Pleasant lemon fragrance
- Silicone free
- Contains natural scrubbers
- Helps prevent industrial dermatitis

Area of Application:

- Trade/household use
- Mechanical, industrial workshops
- Mining, construction, fishing industries

Product No.	Pack Size	Carton QTY.
IHGO5	5 L P/PK	4
IHGO20	20 L	EACH
IPOD3G	3 L POD	4



SEPTONE Protecta Wash

Description: Septone Protecta Wash is a pleasantly fragranced liquid washroom hand cleaner, which produces a rich foamy lather, combined with a gentle cleansing action, to remove most household soils including dirt, mud, dust and kitchen residues. Septone Protecta Wash is pH balanced, contains no solvents and is soap free.

Features & Benefits:

- Pleasantly fragranced
- Produces rich foamy lather
- Gentle cleansing action
- Low irritancy, soap-free, solvent free
- Contains moisturisers

Area of Application:

- Commercial/household use
- Washrooms/bathrooms
- Childcare, nursing homes, office

Product No.	Pack Size	Carton QTY.
IHPW500	500 mL	12
IHPW5	5 L	4
IHPW20	20 L	EACH
IPODPW1	1 L POD	6



SEPTONE Bodyguard Sunscreen with Insect Repellent

Description: Septone Bodyguard is a broad spectrum SPF30+ sunscreen which also contains insect repellent. It provides protection against the sun's harmful UVA and UVB rays, it rubs in easily and retains its protection for up to 2 hours of water immersion. Septone Bodyguard contains skin conditioners Vitamin E and Aloe Vera for extra moisturising.

Features & Benefits:

- SPF30+ Broad spectrum protection
- 2 Hour water resistant
- Repels sand flies, mosquitos and other insect pests
- PABA & Oxybenzone free
- Contains skin conditioners & moisturisers

Area of Application:

- Trade/household use
- Building & construction sites, fishing trawlers
- Recreational outdoor activities

Product No.	Pack Size	Carton QTY.
ISBG125	125 mL FLIPTOP	15
ISBG500	500 mL P/PK	12
ISBG1	1 L P/PK	6



SEPTONE Protecta Maxi SPF50+ Sunscreen

Description: Septone Protecta Maxi SPF50+ Sunscreen provides very high protection from the sun's harmful UVA and UVB rays. It is non-greasy with a 'Dry Touch' formula that rubs in easily and absorbs quickly. Septone Protecta Maxi is 4-hour water resistant, low irritant and ideal for sun sensitive skin.

Features & Benefits:

- SPF50+ Broad spectrum protection
- 4 Hour water resistant
- Dry Touch, very easy rub in formula
- PABA & Oxybenzone free
- Non-greasy, absorbs quickly

Area of Application:

- Trade/household use
- Building & construction sites, fishing trawlers
- Recreational outdoor activities

Product No.	Pack Size	Carton QTY.
ISPSS125	125 mL	15
ISPSS500	500 mL	12
ISPSS1	1 L	6



SEPTONE Protecta Guard

Description: Septone Protecta Guard is a silicone free, non-greasy, non-irritant barrier cream designed to protect skin from dry powders, dusts, oils, greases and solvents. It is insoluble from most petroleum derived solvents and provides a high degree of protection against paints, greases, adhesives, oils and fuels.

Features & Benefits:

- Solvent resistant barrier cream
- Silicone free
- Non-greasy, non-irritant
- Contains moisturisers
- Helps prevent industrial dermatitis

Area of Application:

- Trade/household use
- Automotive, mechanical, industrial workshops
- Mining, construction

Product No.	Pack Size	Carton QTY.
ISPG500	500 mL P/PK	12



SEPTONE EZY 3L Dispenser

Description: The EZY 3L hand dispenser is built to take our world-famous hand cleaners. From Septone to Permatex, we have a solution for your hand cleaning needs.

Features & Benefits:

- Typical applications include industrial, mining, automotive and transport industries
- Contemporary design
- Easy to see product usage level for changing out product
- Robust construction tested for durability

1L Dispenser

Product No.	Pack Size	Carton QTY.
IZDS3M	EZY Dispenser	1

3L Pods

Product No.	Pack Size	Carton QTY.
IPOD3E	Eliminator 3L	4
IPOD3G	Protecta Gold 3L	4
IPOD3GR	Protecta Grit 3L	4
IPOD3O	Orange Scrub 3L	4
IPOD3P	Protecta Pink 3L	4

Area of Application:

- Washroom / Workplace bathrooms



SEPTONE 1L Dispenser

Description: Septone's 1L soap dispenser for its range of 1L pods presents a modern design to enhance the look of any work space or washroom and provides a total solution to your hand cleaning needs.

Features & Benefits:

- Contemporary and sleek design to fit into any washroom or work location
- Easy to see product usage level for changing out of product
- 2 stage delivery system to provide a standard flow or low flow delivery of product
- Robust construction tested over 1000 times for durability

1L Dispenser

Product No.	Pack Size	Carton QTY.
IZDS1M2	Manual Dispenser	1

1L Pods

Product No.	Pack Size	Carton QTY.
IPODPFW1	Protecta Foam 1L	6
IPODPFWA1	Protecta Antibac 1L	6
IPODPS1	Protecta Sanitising 1L	6
IPODPW1	Protecta Liquid 1L	6

Area of Application:

- Washroom / Workplace bathrooms





PRODUCT TYPE

	PETROLEUM SOLVENT	PETROLEUM SOLVENT	CITRUS BASED SOLVENT	CITRUS BASED SOLVENT	SPECIALIZED	PETROLEUM SOLVENT FREE	SOLVENT FREE	SOLVENT FREE
	IHPG20	IHPP20	IHOS20	IHCS20	IHPE4	PX25122	IHGO20	IHNC20
	IHPG4	IHPP4	IHOS5	IHCS4	IHPE500	PX25217	IHGO5	IHNC5D
	IHPG500	IHPP500D	IHOS2	IHCS500		PX25218		
		IHPP500R	IHOS500			PX95185		
	IPOD3GR	IPOD3P	IPOD30				IPOD3G - 0367 4116	
	HEAVY DUTY SOILS							
GREASE, OIL, DIRT & GRIME	✓	✓	✓	✓	✓	✓	✓	✓
RED SOIL, CEMENT & FERTILISERS	✓	✓	✓	✓	✓		✓	✓
DIESEL OIL, FUEL & CARBON BLACK	✓	✓	✓	✓	✓	✓	✓	✓
GRAPHITE, BITUMEN, TAR & ASPHALT	✓	✓	✓	✓	✓			
PAINTS, INKS & DYES					✓	✓		
RESINS, GLUES & ADHESIVES					✓			
BODY FILLERS, POLYESTER & EPOXY RESIN					✓	✓		
SEALANTS, SILICONES & SIKAFLEX					✓	✓		
	DISPENSERS - 3L							
IZDS3M NFR - 0367	✓	✓	✓				✓	

Boat & Van.



Septone® Boat & Van Hull Cleaner & Stain Remover



Description: Septone Boat and Van Hull Cleaner & Stain Remover is a biodegradable surfactant which cleans & revives fibreglass gelcoat, painted timber surfaces and steelwork. Ideal for de-yellowing gelcoats/ fibreglass, its phosphoric acid formula is most effective at removing rust stains, converting rust and inhibiting its reformation.

Features & Benefits:

- Concentrate formula
- Removes rust and waterline stains
- De-yellowes gelcoat, 2-Pack paint surfaces
- Converts and inhibits rust
- Safe on paint, steel, glass, rubber, chrome, vinyl & tarpaulins

Area of Application:

- Marine Trade/DIY use
- Gelcoat, 2-Pack, painted timber, stainless steel surfaces
- Fishing trawlers, recreational boats
- Stainless steel food preparation equipment

Product No.	Pack Size	Carton QTY.
MCD1	1 L	6
MCD5	5 L	4
MCD20	20 L	EACH



Septone® Boat & Van Cut & Prepare Fibreglass Polish



Description: Septone Boat and Van Cut & Prepare Fibreglass Polish for weathered or chalky surfaces requiring restoration. Septone Boat and Van Cut & Prepare Fibreglass Polish is a premium quality compound that restores and rejuvenates weathered fibreglass gelcoats and painted surfaces.

Features & Benefits:

- Restores degraded surfaces
- Easy to use
- Hand or machine application

Area of Application:

- Trade or Handyman use
- Marine fibreglass gel-coat
- Weathered paintwork

Product No.	Pack Size	Carton QTY.
MPFE500	500 mL	12
MPFE1	1 L	6



Septone® Boat & Van Rust & Stain Remover



Description: Septone Boat and Van Rust Stain Remover Cleans, De-Oxidises and removes rust stains from fibreglass gelcoat, painted timber surfaces and from steelwork. A powerful cleaner, de-oxidiser and Rust-Stain remover ideally suited to Fibreglass gelcoat (Hulls) but also highly effective on painted timber surfaces and steelwork.

Features & Benefits:

- Fast acting concentrate
- De-yellows Gelcoat and Fibreglass

Area of Application:

- Fibreglass gelcoat surfaces
- Fishing trawler, recreational boat hulls
- Stainless steel
- Painted surfaces

Product No.	Pack Size	Carton QTY.
MCRSR750	750mL	12



Septone® Boat & Van Fibreglass Polish & Protect



Description: Septone Boat and Van Fibreglass Polish & Protect for use on surfaces in good to slightly faded condition to restore a showroom shine. Septone Boat and Van Fibreglass Polish & Protect with Carnauba Wax and high molecular weight silicone polymers provides a long-lasting shine and protective barrier for outstanding visual appeal and protection from the elements.

Features & Benefits:

- Polishes and removes fallout from Marine gel-coat
- Produces long-life high shine
- Protects surface from the elements
- Very easy wipe on, wipe off application

Area of Application:

- Trade or Handyman use
- Marine fibreglass gel-coat
- New or maintained paintwork

Product No.	Pack Size	Carton QTY.
MPFRW500	500 mL	12
MPFRW1	1 L	6





Wash & Wax

Description: Septone Boat & Van Wash & Wax is a concentrated heavy-duty cleaner that rapidly dispels washable surfaces of oil, grime, soot, dirt and industrial fallout and leaves a shiny protective wax layer. Despite its powerful concentration, its pH neutral formula is safe to use on gelcoat, fibreglass, paint, steel, aluminium, glass, rubber, chrome, vinyl, canvas and tarpaulins.

Product No.	Pack Size	Carton QTY.
MCWW1	1L	6
MCWW5	5L	4

Features & Benefits:

- Heavy duty cleaner
- High shine finish
- Proactive wax layer

Area of Application:

- Fibreglass Gelcoat
- Paintwork
- Steel, aluminium and chrome
- Canvas and tarpaulins



Gelcoat Repair Filler

Description: Septone Boat & Van Gelcoat Repair Filler is a lightweight polyester body filler used to repair chips, scratches and cracks in polyester gelcoats on fibreglass boats etc. It is simple to apply, exhibits excellent adhesion, easy sanding and good feather-edging. Gelcoat Repair Filler cures to a white finish when used with the supplied hardener.

Product No.	Pack Size	Carton QTY.
ABG400	400 g	12

Features & Benefits:

- No sag application at high build levels
- Easy sanding
- Excellent adhesion to fibreglass
- Cures to a white finish

Area of Application:

- Not suitable for use below the water line unless the surface is sealed with appropriate top coat
- Trade or Handyman use
- Marine craft, boats, jet-ski's, paddle and surf boards
- Fibreglass pools



Fibreglass Polyester Resin

Description: Septone Boat & Van Fibreglass Polyester Resin used in conjunction with Septone Boat & Van Fibreglass Matting will repair cracks and holes in fibreglass, wood, steel, iron, masonry and other inflexible material. Repairs can be made to fibreglass and wooden boats, trailers, kayaks, surfboards and vehicles.

Product No.	Pack Size	Carton QTY.
MFR250	250 mL	12
MFR500	500 mL	12

Features & Benefits:

- High quality
- Light weight
- Easy to apply

Area of Application:

- Repairs can be made to Fibreglass and wooden boats, trailers kayaks and vehicles.
- Repairs cracks in Fibreglass, wood, steel, iron and other inflexible material



Fibreglass Matting

Description: Septone Boat & Van Fibreglass Matting used in conjunction with Septone Boat & Van Fibreglass Resin will repair cracks and holes in fibreglass, wood, steel, iron, masonry and other inflexible material.

Product No.	Pack Size	Carton QTY.
MFM.5	0.5M	12

Features & Benefits:

- High quality
- Light weight
- Easy to apply

Area of Application:

- Repairs cracks in Fibreglass, wood, steel, iron and other inflexible material