#### ITW AAMTech

Chemwatch: **8652744** Version No: **3.1.1.1** Safety Data Sheet according to WHS and ADG requirements Chemwatch Hazard Alert Code: 1

Issue Date: 20/05/2014 Print Date: 22/05/2014 Initial Date: Not Available S.GHS.AUS.EN

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### **Product Identifier**

| Product name                  | Septone Dishmate Rinse Aid  |
|-------------------------------|---|
| Chemical Name                 | Not Applicable  |
| Synonyms                      | AUTO DISHWASHING RINSE AID Mancode JKRA5, Product Code: HKDRA5, HKDRA20 |
| Proper shipping name          | Not Applicable  |
| Chemical formula              | Not Applicable  |
| Other means of identification | Not Available   |
| CAS number                    | Not Applicable  |

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Rinse aid for automatic dishwashing machines.

#### Details of the supplier of the safety data sheet

| Registered company name | ITW AAMTech   | <br> <br> <br> |   |
|-------------------------|---|----------------|---|
| Address                 | 100 Hassall Street Wetherill Park 2164 NSW<br>Australia |                |   |
| Telephone               | +61 2 9828 0900   |                |   |
| Fax                     | +61 2 9725 4698   | 1<br>1<br>1    | 1 |
| Website                 | Not Available   |                |   |
| Email                   | general@septone.com.au                                  | 1              | 1 |

#### Emergency telephone number

| Association / Organisation        | Not Available              | 1 | 1 |
|-----------------------------------|----------------------------|---|---|
| Emergency telephone numbers       | 1800 039 008 (24 hours)    |   |   |
| Other emergency telephone numbers | +61 3 9573 3112 (24 hours) | 1 | 1 |

#### SECTION 2 HAZARDS IDENTIFICATION

# Classification of the substance or mixture

# NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

| Poisons Schedule                                       | Not Applicable |
|--|----------------|
| GHS Classification                                     | Not Applicable |
| Label elements   |                |
| GHS label elements                                     | Not Applicable |
|  |                |
| SIGNAL WORD  | NOT APPLICABLE |
| Hazard statement(s)<br>Not Applicable                  |                |
| Precautionary statement(s): Preventic                  | on             |
| Precautionary statement(s): Response<br>Not Applicable | e              |

Precautionary statement(s): Storage

Not Applicable

Precautionary statement(s): Disposal

Not Applicable

# SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### Substances

See section below for composition of Mixtures

#### Mixtures

| CAS No        | %[weight] | Name                                       |  |  |  |  |
|---------------|-----------|--|--|--|--|--|
| 67-63-0       | 0-10      | isopropanol                                |  |  |  |  |
| 7732-18-5     | >60       | water                                      |  |  |  |  |
| Not Available | 10-30     | ingredients determined not to be hazardous |  |  |  |  |

# SECTION 4 FIRST AID MEASURES

| Description of first aid measures |   |
|-----------------------------------|---|
| Eye Contact                       | <ul> <li>If this product comes in contact with the eyes:</li> <li>Wash out immediately with fresh running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>                               |
| Skin Contact                      | <ul> <li>If skin contact occurs:</li> <li>Immediately remove all contaminated clothing, including footwear.</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>   |
| Inhalation                        | <ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>   |
| Ingestion                         | <ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul> |

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SECTION 5 FIREFIGHTING MEASURES

| Extinguishing media |  |
|---------------------|--|
|                     | The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used.<br>Choice of extinguishing media should take into account surrounding areas.<br>Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances.<br>In such an event consider: |

# Special hazards arising from the substrate or mixture

Fire Incompatibility None known

| Advice for firefighters |  |
|-------------------------|--|
| Fire Fighting           | <ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> <li>DO NOT approach containers suspected to be hot.</li> <li>Cool fire exposed containers with water spray from a protected location.</li> <li>If safe to do so, remove containers from path of fire.</li> </ul> |
| Fire/Explosion Hazard   | <ul> <li>The material is not readily combustible under normal conditions.</li> <li>However, it will break down under fire conditions and the organic component may burn.</li> <li>Not considered to be a significant fire risk.</li> <li>Heat may cause expansion or decomposition with violent rupture of containers.</li> <li>Decomposes on heating and may produce toxic fumes of carbon monoxide (CO).</li> <li>May emit acrid smoke.</li> </ul>   |

# Page 3 of 7 Septone Dishmate Rinse Aid

# SECTION 6 ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

| Minor Spills | <ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> <li>Wipe up.</li> <li>Place in a suitable, labelled container for waste disposal.</li> </ul>   |
|--------------|--|
| Major Spills | <ul> <li>Minor hazard.</li> <li>Clear area of personnel.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Control personal contact with the substance, by using protective equipment as required.</li> <li>Prevent spillage from entering drains or water ways.</li> <li>Contain spill with sand, earth or vermiculite.</li> <li>Collect recoverable product into labelled containers for recycling.</li> </ul> |
|              |  |
|              | Personal Protective Equipment advice is contained in Section 8 of the MSDS.  |

# SECTION 7 HANDLING AND STORAGE

# Precautions for safe handling

| Safe handling     | <ul> <li>Limit all unnecessary personal contact.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>When handling DO NOT eat, drink or smoke.</li> <li>Always wash hands with soap and water after handling.</li> <li>Avoid physical damage to containers.</li> <li>Use good occupational work practice.</li> </ul>                              |
|-------------------|--|
| Other information | <ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry, well-ventilated area.</li> <li>Store away from incompatible materials and foodstuff containers.</li> <li>Protect containers against physical damage and check regularly for leaks.</li> <li>Observe manufacturer's storage and handling recommendations contained within this MSDS.</li> </ul> |

# Conditions for safe storage, including any incompatibilities

| Suitable container      | <ul> <li>Polyethylene or polypropylene container.</li> <li>Packing as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul> |
|-------------------------|---|
| Storage incompatibility | None known  |

## PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Control parameters**

# OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

| Source                       | Ingredient    | Material name     |          | TWA                     |   | STEL                     | Peak          | Notes         |
|------------------------------|---------------|-------------------|----------|-------------------------|---|--------------------------|---------------|---------------|
| Australia Exposure Standards | isopropanol   | Isopropyl alcohol |          | 983 (mg/m3) / 400 (ppm) |   | 1230 (mg/m3) / 500 (ppm) | Not Available | Not Available |
| EMERGENCY LIMITS             |               |                   |          |                         |   |                          |               |               |
| Ingredient                   | TEEL-0        |                   | TEEL-1   |                         | т | EEL-2                    | TEEL-3        |               |
| isopropanol                  | 400(ppm)      |                   | 400(ppm) |                         | 2 | 000(ppm)                 | 2000(ppm)     |               |
| water                        | 500(ppm)      |                   | 500(ppm) |                         | 5 | 00(ppm)                  | 500(ppm)      |               |
|                              |               |                   |          |                         |   |                          |               |               |
| Ingredient                   | Original IDLH |                   |          | Revised IDLH            |   |                          |               |               |
| isopropanol                  | 12,000(ppm)   |                   |          | 2,000 [LEL](ppm)        |   |                          |               |               |

#### Exposure controls

| Appropriate engineering controls | General exhaust is adequate under normal operating conditions. |  |  |
|----------------------------------|--|--|--|
| Personal protection              |  |  |  |

| Eye and face protection | No special equipment for minor exposure i.e. when handling small quantities.<br><b>OTHERWISE:</b><br>Safety glasses with side shields.<br>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the<br>wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and<br>adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their<br>removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove<br>contact lens as soon as practicable. |
|-------------------------|--|
| Skin protection         | See Hand protection below  |
| Hand protection         | No special equipment needed when handling small quantities.<br>OTHERWISE: Wear chemical protective gloves, e.g. PVC.   |
| Body protection         | See Other protection below   |
| Other protection        | No special equipment needed when handling small quantities.<br><b>OTHERWISE:</b><br>• Overalls.<br>• Barrier cream.<br>• Eyewash unit.   |
| Thermal hazards         | Not Available  |

#### Recommended material(s)

#### GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the  $\ computer-$ 

generated selection:

Septone Dishmate Rinse Aid

| Material | СРІ |
|----------|-----|
| NEOPRENE | Α   |

\* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final

selection must be based on detailed observation. -

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

#### **Respiratory protection**

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required.

Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

| Required<br>Minimum<br>Protection Factor | Half-Face<br>Respirator | Full-Face<br>Respirator | Powered Air<br>Respirator |
|--|-------------------------|-------------------------|---------------------------|
| up to 10 x ES                            | Air-line*               | A-2                     | A-PAPR-2 ^                |
| up to 20 x ES                            | -                       | A-3                     | -                         |
| 20+ x ES                                 | -                       | Air-line**              | -                         |

\* - Continuous-flow; \*\* - Continuous-flow or positive pressure demand

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

#### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

| Appearance                                   | Clear dark blue mobile liquid with an alcoholic odour; mixes with water. |   |                |
|--|--|---|----------------|
|  |  |   |                |
| Physical state                               | Liquid   | Relative density (Water = 1)                | 0.995          |
| Odour  | Not Available  | Partition coefficient n-octanol / water     | Not Available  |
| Odour threshold                              | Not Available  | Auto-ignition temperature (°C)              | Not Available  |
| pH (as supplied)                             | 4.7  | Decomposition temperature                   | Not Available  |
| Melting point / freezing point (°C)          | Not Available  | lot Available Viscosity (cSt) Not Available |                |
| Initial boiling point and boiling range (°C) | 82-100   | Molecular weight (g/mol)                    | Not Applicable |
| Flash point (°C)                             | Not Applicable   | Taste                                       | Not Available  |
| Evaporation rate                             | >1 water = 1   | Explosive properties                        | Not Available  |
| Flammability                                 | Not Applicable   | Oxidising properties                        | Not Available  |
| Upper Explosive Limit (%)                    | Not Applicable   | Surface Tension (dyn/cm or mN/m)            | Not Available  |
| Lower Explosive Limit (%)                    | Not Applicable   | Volatile Component (%vol)                   | 81 w/v         |
| Vapour pressure (kPa)                        | Not Available  | Gas group                                   | Not Available  |
| Solubility in water (g/L)                    | Miscible   | pH as a solution(1%)                        | Not Available  |
| Vapour density (Air = 1)                     | Not Available  | VOC g/L                                     | Not Available  |

# SECTION 10 STABILITY AND REACTIVITY

| Reactivity                         | See section 7   |
|------------------------------------|---|
| Chemical stability                 | Product is considered stable and hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7   |
| Conditions to avoid                | See section 7   |
| Incompatible materials             | See section 7   |
| Hazardous decomposition products   | See section 5   |

# SECTION 11 TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

| Image: Interpretation may result in mauses, addominal initiator, pain and vorming           Index devices cessits, or practical experience predicts, that the material either products reference on the shart in a substantia number of hours, such inflammation being present therm (both rouces such inflammation when applied to the healty think sits on present above, advorminal in the material either production, scaling and thinkening of the epidems. Af the matches is the second end which may present bit therm (both rouces) with the material material end with the present above, four hours or more after the end of the interplating rouces of the second which may present above, four hours or more after resultion in the thermatic of the epidems. Af the material material end expected expecte                          | Inhaled                    | Limited evidence or practical experience suggests that the material may produce irritation of the respiratory system, in a significant number of individuals, following inhalation. In contrast to most organs, the lung is able to respond to a chemical insult by first removing or neutralising the irritant and then repairing the damage. The repair process, which initially evolved to protect mammalian lungs from foreign matter and antigens, may however, produce further lung damage resulting in the impairment of gas exchange, the primary function of the lungs. Respiratory tract irritation often results in an inflammatory response involving the recruitment and activation of many cell types, mainly derived from the vascular system.   |  |  |
|--|----------------------------|---|--|--|
| Skin Contract         United evidence exists, or practical experience predicts, that the material either produces inflammation of the sist in a substantial number of individuals following direct contract, andro produces significant inflammation when particle bits in the sitt in a substantial number of individuals following gineet twerk-for horus or more after been dir the exposure positions in othics must also be present after produces (eightmen) and exwiging (seedona) which many progress to bits institution on a bubterial number of individuals and/or is expected to produce significant could resistors which are present twerk-four horus or more after institution in the twerks) of expensions and intraceding devidence exists. Or produce significant could resistors which are present twerk-four horus or more after institution in the twerks) of expensions and the significant could resistors which are present twerk-four horus or more after institution in the twerks) of the conjunctive is expected in produce significant could resistors which are present twerk-four horus or more after institution or the expect of the conjunctive is the produce institution or in an analysis.           Chronol         Image term or presents institution or more after institution or the expect of the conjunctive is the produce institution. The expect of the conjunctive is the produce to the first in the adult animals. Isopropanol characterised by tempo and the expect of the expect of the conjunctive isoparant may produce incost, incoordination, lethargy and educed weight gain.           Respect of produce isoprificant on produce incost effects in the adult animals. Isopropanol. Animal data show developments. There are inconclusive reports of human sensitistion from sin contact with isopropanol. Chronic alcoholics are more tolerant of systemic isopropanol may produce incost. Biotechnolis (Bab Ding) (Ding 24th moderne). The operindereal (Rabib Ding 24  | Ingestion                  | Ingestion may result in nausea, abdominal irritat   | tion, pain and vomiting  |  |
| Initial evidence exists, or practical experience suggests, that the material may cause eye initiation in a substantial number of individuals and/or<br>sepicieal to protoce significant could reasons which are present twenty-four hours or more after insiliation in the seysiol experimental<br>animals. Repeated or protoinged eye contact may cause inflammation characterised by temporary rendeess (similar to windown) of the conjunctiva<br>(conjunctivality): temporary impairment of vision and/or other transient eye damage/ucceration may cocur.           Chronicit         Repeated insistion exposure of isopropanol may produce incoordination, listingry and reduced weight gain.           Repeated inhibition exposure to isopropanol may produce incoordination. Bittingry and reduced weight gain.           Repeated inhibition exposure to isopropanol may produce incoordination. Bittingry and reduced weight gain.           There are incondusive reports of human sensitisation from skin contact with isopropanol. Chronic alcoholics are more tolerant of systemic<br>isopropand than are persons who do not consume alcohol; alcoholics have survived as much as 500 m. of 70% isopropanol.           Septone Dishmate Rinse Ald         TOXICITY         IRRITATION           Not Available         Toxic(cirry         IRRITATION           Inhialation (Mouse) LCSC: 5000 mg/m34h         Eye (rabbit): 100 mg - SEVERE         Inhialation (Rab) LCSC: 5200 mg/m34h         Eye (rabbit): 100 mg - SEVERE           Inhialation (Mouse) LCSC: 5200 mg/m34h         Eye (rabbit): 500 mg / mg/ g         Skin (rabbit): 500 mg / g         Skin (rabbit): 500 mg / g           Inhialation (Mouse) LCSC: 72500 mg/ kg  | Skin Contact               | Limited evidence exists, or practical experience predicts, that the material either produces inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant inflammation when applied to the healthy intact skin of animals, for up to four hours, such inflammation being present twenty-four hours or more after the end of the exposure period. Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (nonallergic). The dermatitis is often characterised by skin redness (erythema) and swelling (oedema) which may progress to bilstering (vesiculation), scaling and thickening of the epidermis. At the misroremic level there may be not prevent up of the option up to red the option. |  |  |
| Image: Chronic Interaction and the probability of the probability | Eye                        | Limited evidence exists, or practical experience<br>is expected to produce significant ocular lesions<br>animals. Repeated or prolonged eye contact ma<br>(conjunctivitis); temporary impairment of vision a  | suggests, that the material may cause eye irritation in a substantial number of individuals and/or<br>s which are present twenty-four hours or more after instillation into the eye(s) of experimental<br>ay cause inflammation characterised by temporary redness (similar to windburn) of the conjunctiva<br>and/or other transient eye damage/ulceration may occur. |  |
| Septone Dishmate Rinse Aid         TOXICITY         IRRITATION           Not Available         Not Available         Not Available           Image: Dishmate Rinse Aid         TOXICITY         IRRITATION           Dermal (rabbit) LD50: 12800 mg/kg         Eye (rabbit): 10 mg - moderate           Inhalation (Mouse) LC50: 53000 mg/m34h         Eye (rabbit): 100 mg - SEVERE           Inhalation (Rat) LC50: 72600 mg/m34h         Eye (rabbit): 100 mg - SEVERE           Inhalation (Rat) LC50: 72600 mg/m34h         Eye (rabbit): 500 mg - mild           Intraperitoneal (Guinea pig) LD50: 2560         Skin (rabbit): 500 mg - mild           Intraperitoneal (Rat) LD50: 1280 mg/kg         Intraperitoneal (Rabbit) LD50: 667 mg/kg           Intraperitoneal (Rabbit) LD50: 1184 mg/kg         Intravenous (Rabbit) LD50: 1184 mg/kg           Intravenous (Rabbit) LD50: 1184 mg/kg         Intravenous (Rabbit) LD50: 680 mg/kg           Oral (Rabbit) LD50: 5000 mg/kg         Oral (Rabbit) LD50: 6410 mg/kg           Oral (Rabbit) LD50: 5000 mg/kg         Oral (Rabbit) LD50: 5000 mg/kg           Oral (rabbit) LD50: 5000 mg/kg         Oral (Rabbit) LD50: 5000 mg/kg           Oral (rabbit) LD50: 50045 mg/kg         Oral (rabbit) LD50: 50045 mg/kg           Oral (rabbit) LD50: 50045 mg/kg         Not Available   | Chronic                    | Long term or repeated ingestion exposure of isopropanol may produce incoordination, lethargy and reduced weight gain.<br>Repeated inhalation exposure to isopropanol may produce narcosis, incoordination and liver degeneration. Animal data show developmental effects only at exposure levels that produce toxic effects in the adult animals. Isopropanol does not cause genetic damage in bacterial or mammalian cell cultures or in animals.<br>There are inconclusive reports of human sensitisation from skin contact with isopropanol. Chronic alcoholics are more tolerant of systemic isopropanol than are persons who do not consume alcohol: alcoholics have survived as much as 500 ml. of 70% isopropanol.   |  |  |
| Septone Dishmate Rinse Ait         TOXICITY         IRRITATION           Not Available         Not Available         Not Available           Image: Im  |                            |   |  |  |
| Septone Dishmate Rinse Aid         Not Available           Not Available         Not Available           Intraperitorial (rabbit) LD50: 12800 mg/kg         Eye (rabbit): 10 mg - moderate           Inhalation (Mouse) LC50: 53000 mg/m3/4h         Eye (rabbit): 100 mg - SEVERE           Inhalation (Rat) LC50: 72800 mg/m3/4h         Eye (rabbit): 100mg/24hr-moderate           Intraperitorial (Guinea pig) LD50: 2660         Skin (rabbit): 500 mg - mild           Intraperitorial (Rabbit) LD50: 102: 677 mg/kg         Intraperitorial (Rabbit) LD50: 2735 mg/kg           Intraperitorial (Rabbit) LD50: 1080 mg/kg         Intraperitorial (Rabbit) LD50: 2735 mg/kg           Intraperitorial (Rabbit) LD50: 1088 mg/kg         Intraperitorial (Rabbit) LD50: 1088 mg/kg           Oral (Mouse) LD50: 5000 mg/kg         Oral (Rabbit) LD50: 5000 mg/kg           Oral (Rabbit) LD50: 5000 mg/kg         Oral (Rabbit) LD50: 5000 mg/kg           Oral (Rat) LD50: 5000 mg/kg         Oral (Rabbit) LD50: 5000 mg/kg           Oral (Rabbit) LD50: 5000 mg/kg         Oral (Rabbit) LD50: 5000 mg/kg           Oral (Rat) LD50: 5000 mg/kg         Oral (Rat) LD50: 5000 mg/kg           Oral (Rat) LD50: 5000 mg/kg         Oral (Rat) LD50: 5000 mg/kg  |                            | ΤΟΧΙΟΙΤΥ  | IRRITATION   |  |
| TOXICITY         IRRITATION           Dermal (rabbit) LD50: 12800 mg/kg         Eye (rabbit): 10 mg - moderate           Inhalation (Mouse) LC50: 53000 mg/m3/4h         Eye (rabbit): 100 mg - SEVERE           Inhalation (Rat) LC50: 72600 mg/m3/4h         Eye (rabbit): 100mg/24hr-moderate           Intraperitoneal (Guinea pig) LD50: 2560         Skin (rabbit): 500 mg - mild           Intraperitoneal (Rouse) LD50: 4477 mg/kg         Intraperitoneal (Rabbit) LD50: 667 mg/kg           Intraperitoneal (Rabbit) LD50: 1509 mg/kg         Intravenous (Mouse) LD50: 1509 mg/kg           Intravenous (Rabbit) LD50: 1088 mg/kg         Intravenous (Rabbit) LD50: 1088 mg/kg           Oral (Rabbit) LD50: 5000 mg/kg         Oral (Rabbit) LD50: 5000 mg/kg           Oral (Rat) LD50: 5000 mg/kg         Oral (rat) LD50: 5004 mg/kg           Not Available         Not Available   | Septone Dishmate Rinse Aid | Not Available   | Not Available  |  |
| Image: Demail (rabbit) LD50: 12800 mg/kg       Eye (rabbit): 10 mg - moderate         Inhalation (Mouse) LC50: 72600 mg/m3/4h       Eye (rabbit): 100 mg - SEVERE         Inhalation (Rat) LC50: 72600 mg/m3/4h       Eye (rabbit): 100mg/24hr-moderate         Intraperitoneal (Guinea pig) LD50: 2560       Skin (rabbit): 500 mg - mild         Intraperitoneal (Rabbit) LD50: 667 mg/kg       Intraperitoneal (Rabbit) LD50: 2735 mg/kg         Intraperitoneal (Rabbit) LD50: 1509 mg/kg       Intraperitoneal (Rabbit) LD50: 1509 mg/kg         Intravenous (Rabbit) LD50: 108 mg/kg       Intravenous (Rabbit) LD50: 108 mg/kg         Oral (Nduse) LD50: 5000 mg/kg       Oral (Rabbit) LD50: 6410 mg/kg         Oral (Rabbit) LD50: 5005 mg/kg       Oral (Rabbit) LD50: 5005 mg/kg         Oral (rat) LD50: 5005 mg/kg       Oral (rat) LD50: 5005 mg/kg         Oral (Rabbit) LD50: 5045 mg/kg       Oral (rat) LD50: 5045 mg/kg         Not Available       Not Available  |                            | ΤΟΧΙΟΙΤΥ  | IRRITATION   |  |
| Inhalation (Mouse) LC50: 53000 mg/m3/4h       Eye (rabbit): 100 mg - SEVERE         Inhalation (Rat) LC50: 72600 mg/m3/4h       Eye (rabbit): 100mg/24hr-moderate         Intraperitoneal (Guinea pig) LD50: 2560       Skin (rabbit): 500 mg - mild         Intraperitoneal (Mouse) LD50: 4477 mg/kg       Intraperitoneal (Rabbit) LD50: 667 mg/kg         Intraperitoneal (Rabbit) LD50: 667 mg/kg       Intraperitoneal (Rabbit) LD50: 667 mg/kg         Intraperitoneal (Rabbit) LD50: 1509 mg/kg       Intravenous (Mouse) LD50: 1509 mg/kg         Intravenous (Mouse) LD50: 1509 mg/kg       Intravenous (Rabbit) LD50: 1509 mg/kg         Intravenous (Rabbit) LD50: 1088 mg/kg       Intravenous (Rabbit) LD50: 1088 mg/kg         Oral (Mouse) LD50: 3000 mg/kg       Oral (Rabbit) LD50: 6410 mg/kg         Oral (Rat) LD50: 5045 mg/kg       Oral (Rat) LD50: 5045 mg/kg         Oral (Rat) LD50: 5045 mg/kg       Intravenous         Not Available       Not Available  |                            | Dermal (rabbit) LD50: 12800 mg/kg   | Eye (rabbit): 10 mg - moderate   |  |
| Inhalation (Rat) LC50: 72600 mg/m3/4h       Eye (rabbit): 100mg/24hr-moderate         Intraperitoneal (Guinea pig) LD50: 2560       Skin (rabbit): 500 mg - mild         Intraperitoneal (Mouse) LD50: 4477 mg/kg       Intraperitoneal (Rabbit) LD50: 667 mg/kg         Intraperitoneal (Rabbit) LD50: 2735 mg/kg       Intraperitoneal (Rabbit) LD50: 1509 mg/kg         Intraperitoneal (Rat) LD50: 1509 mg/kg       Intravenous (Mouse) LD50: 1509 mg/kg         Intravenous (Rat) LD50: 1088 mg/kg       Intravenous (Rat) LD50: 1088 mg/kg         Intravenous (Rat) LD50: 1088 mg/kg       Intravenous (Rat) LD50: 1088 mg/kg         Oral (Mouse) LD50: 5000 mg/kg       Oral (Rabbit) LD50: 5000 mg/kg         Oral (Rat) LD50: 5000 mg/kg       Oral (Rat) LD50: 5000 mg/kg         Oral (rat) LD50: 50045 mg/kg       Not Available   |                            | Inhalation (Mouse) LC50: 53000 mg/m3/4h   | Eye (rabbit): 100 mg - SEVERE  |  |
| Intraperitoneal (Guinea pig) LD50: 2560       Skin (rabbit): 500 mg - mild         Intraperitoneal (Mouse) LD50: 4477 mg/kg       Intraperitoneal (Rabbit) LD50: 667 mg/kg         Intraperitoneal (Rat) LD50: 2735 mg/kg       Intraperitoneal (Rat) LD50: 2735 mg/kg         Intravenous (Mouse) LD50: 1509 mg/kg       Intravenous (Mouse) LD50: 1509 mg/kg         Intravenous (Rabbit) LD50: 1509 mg/kg       Intravenous (Rabbit) LD50: 1509 mg/kg         Intravenous (Rabbit) LD50: 1088 mg/kg       Intravenous (Rabbit) LD50: 1088 mg/kg         Oral (Mouse) LD50: 3600 mg/kg       Oral (Mouse) LD50: 6410 mg/kg         Oral (Rat) LD50: 6410 mg/kg       Oral (Rat) LD50: 5000 mg/kg         Oral (Rat) LD50: 5000 mg/kg       Oral (rat) LD50: 5000 mg/kg         Oral (rat) LD50: 5045 mg/kg       Not Available   |                            | Inhalation (Rat) LC50: 72600 mg/m3/4h   | Eye (rabbit): 100mg/24hr-moderate  |  |
| Intraperitoneal (Mouse) LD50: 4477 mg/kgIntraperitoneal (Rabbit) LD50: 667 mg/kgIntraperitoneal (Rabbit) LD50: 2735 mg/kgIntraperitoneal (Rat) LD50: 2735 mg/kgIntravenous (Mouse) LD50: 1509 mg/kgIntravenous (Mouse) LD50: 1509 mg/kgIntravenous (Rabbit) LD50: 1184 mg/kgIntravenous (Rat) LD50: 1088 mg/kgOral (Mouse) LD50: 3600 mg/kgOral (Mouse) LD50: 6410 mg/kgOral (Rat) LD50: 6410 mg/kgOral (rat) LD50: 5045 mg/kgOral (rat) LD50: 5045 mg/kgNot Available   |                            | Intraperitoneal (Guinea pig) LD50: 2560<br>mg/kg  | Skin (rabbit): 500 mg - mild   |  |
| Intraperitoneal (Rabbit) LD50: 667 mg/kgIntraperitoneal (Rat) LD50: 2735 mg/kgIntraperitoneal (Rat) LD50: 2735 mg/kgIntravenous (Mouse) LD50: 1509 mg/kgIntravenous (Rabbit) LD50: 1184 mg/kgIntravenous (Rat) LD50: 1088 mg/kgOral (Mouse) LD50: 3600 mg/kgOral (Rabbit) LD50: 6410 mg/kgOral (Rat) LD50: 50045 mg/kgOral (rat) LD50: 5045 mg/kgNot AvailableNot Available  |                            | Intraperitoneal (Mouse) LD50: 4477 mg/kg  |  |  |
| isopropanol       Intraperitoneal (Rat) LD50: 2735 mg/kg         Intravenous (Mouse) LD50: 1509 mg/kg       Intravenous (Mouse) LD50: 1509 mg/kg         Intravenous (Rabbit) LD50: 1184 mg/kg       Intravenous (Rat) LD50: 1088 mg/kg         Intravenous (Rat) LD50: 3600 mg/kg       Oral (Mouse) LD50: 3600 mg/kg         Oral (Rabbit) LD50: 6410 mg/kg       Oral (Rabbit) LD50: 5005 mg/kg         Oral (rat) LD50: 50045 mg/kg       Oral (rat) LD50: 5045 mg/kg         Not Available       Not Available  |                            | Intraperitoneal (Rabbit) LD50: 667 mg/kg  |  |  |
| Intravenous (Mouse) LD50: 1509 mg/kgIntravenous (Rabbit) LD50: 1184 mg/kgIntravenous (Rat) LD50: 1088 mg/kgOral (Mouse) LD50: 3600 mg/kgOral (Rabbit) LD50: 6410 mg/kgOral (Rabbit) LD50: 6410 mg/kgOral (Rat) LD50: 5000 mg/kgOral (rat) LD50: 50045 mg/kgOral (rat) LD50: 5045 mg/kgNot AvailableNot Available   | isopropanol                | Intraperitoneal (Rat) LD50: 2735 mg/kg  | <br> <br>  |  |
| Intravenous (Rabbit) LD50: 1184 mg/kg<br>Intravenous (Rat) LD50: 1088 mg/kg<br>Oral (Mouse) LD50: 3600 mg/kg<br>Oral (Rabbit) LD50: 6410 mg/kg<br>Oral (Rat) LD50: 5000 mg/kg<br>Oral (rat) LD50: 5045 mg/kg<br>Not Available Not Available  |                            | Intravenous (Mouse) LD50: 1509 mg/kg  |  |  |
| Intravenous (Rat) LD50: 1088 mg/kg         Oral (Mouse) LD50: 3600 mg/kg         Oral (Rabbit) LD50: 6410 mg/kg         Oral (Rat) LD50: 5000 mg/kg         Oral (rat) LD50: 5045 mg/kg         Not Available  |                            | Intravenous (Rabbit) LD50: 1184 mg/kg   |  |  |
| Oral (Mouse) LD50: 3600 mg/kg         Oral (Rabbit) LD50: 6410 mg/kg         Oral (Rat) LD50: 5000 mg/kg         Oral (rat) LD50: 5045 mg/kg         Not Available   |                            | Intravenous (Rat) LD50: 1088 mg/kg  |  |  |
| Oral (Rabbit) LD50: 6410 mg/kg         Oral (Rat) LD50: 5000 mg/kg         Oral (rat) LD50: 5045 mg/kg         Not Available    Not Available  |                            | Oral (Mouse) LD50: 3600 mg/kg   |  |  |
| Oral (Rat) LD50: 5000 mg/kg       Oral (rat) LD50: 5045 mg/kg       Not Available   Not Available  |                            | Oral (Rabbit) LD50: 6410 mg/kg  |  |  |
| Oral (rat) LD50: 5045 mg/kg       Not Available   Not Available  |                            | Oral (Rat) LD50: 5000 mg/kg   | · · · · · · · · · · · · · · · · · · ·  |  |
| Not Available Not Available  |                            | Oral (rat) LD50: 5045 mg/kg   |  |  |
|  |                            | Not Available   | Not Available  |  |
| TOXICITY IRRITATION  |                            | TOXICITY  | IRRITATION   |  |
| Water Not Available Not Available  | water                      |   |  |  |

| ISOPROPANOL                       | For isopropanol (IPA):<br>Acute toxicity: Isopropanol has a low order of acute toxicity. It is irritating to the eyes, but not to the skin. Very high vapor concentrations are irritating to the eyes, nose, and throat, and prolonged exposure may produce central nervous system depression and narcosis. Human volunteers reported that exposure to 400 ppm isopropanol vapors for 3 to 5 min. caused mild irritation of the eyes, nose and throat.<br>Although isopropanol produced little irritation when tested on the skin of human volunteers, there have been reports of isolated cases of dermal irritation and/or sensitization. The use of isopropanol as a sponge treatment for the control of fever has resulted in cases of intoxication, probably the result of both dermal absorption and inhalation. |                          |   |
|-----------------------------------|--|--------------------------|---|
| WATER                             | No significant acute toxicological data identified in literature search.   |                          |   |
|                                   |  |                          |   |
| Acute Toxicity                    | 0  | Carcinogenicity          | 0 |
| Skin Irritation/Corrosion         | 0  | Reproductivity           | 0 |
| Serious Eye Damage/Irritation     | 0  | STOT - Single Exposure   | 0 |
| Respiratory or Skin sensitisation | 0  | STOT - Repeated Exposure | 0 |
| Mutagenicity                      | 0  | Aspiration Hazard        | 0 |

# CMR STATUS

Not Applicable

#### SECTION 12 ECOLOGICAL INFORMATION

#### Toxicity

#### **DO NOT** discharge into sewer or waterways.

The nonionic surfactant contained in this product is ultimately but slowly biodegradable, and is considered to be slightly toxic to aquatic organisms. It exhibits a low bioaccumulation potential.

#### Persistence and degradability

| Ingredient                | Persistence: Water/Soil | Persistence: Air |
|---------------------------|-------------------------|------------------|
| Not Available             | Not Available           | Not Available    |
| Bioaccumulative potential |                         |                  |
| Ingredient                | Bioaccumulation         |                  |
| Not Available             | Not Available           |                  |

#### Mobility in soil

| •             |               |
|---------------|---------------|
| Ingredient    | Mobility      |
| Not Available | Not Available |

#### SECTION 13 DISPOSAL CONSIDERATIONS

#### Waste treatment methods

| Product / Packaging disposal | <ul> <li>Recycle wherever possible or consult manufacturer for recycling options.</li> <li>Consult State Land Waste Management Authority for disposal.</li> <li>Bury residue in an authorised landfill.</li> <li>Recycle containers if possible, or dispose of in an authorised landfill.</li> </ul> |
|------------------------------|--|
|                              | 1  |

## SECTION 14 TRANSPORT INFORMATION

# Marine Pollutant NO HAZCHEM Not Applicable

# Land transport (): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code

| Source                   | Ingredient  | Pollution Category | Residual Concentration - Outside Special Area (% w/w) | <b>Residual Concentration</b> |
|--------------------------|-------------|--------------------|---|-------------------------------|
| 40-7-4-9-0-0-MK-20041022 | isopropanol | Not Available      | Not Available   | Not Available                 |

# SECTION 15 REGULATORY INFORMATION

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

| isopropanol(67-63-0) is found on the | "International Maritime Dangerous Goods Requirements (IMDG Code)", "IOFI Global Reference List of Chemically Defined |
|--------------------------------------|--|
|--------------------------------------|--|

| following regulatory lists                                  | Substances", "Australia Exposure Standards", "International Maritime Dangerous Goods Requirements (IMDG Code) - Substance<br>Index", "FisherTransport Information", "IMO Provisional Categorization of Liquid Substances - List 2: Pollutant only mixtures containing at least<br>99% by weight of components already assessed by IMO", "IMO MARPOL 73/78 (Annex II) - List of Other Liquid Substances", "United Nations<br>Recommendations on the Transport of Dangerous Goods Model Regulations (English)", "Australia Dangerous Goods Code (ADG Code) - List<br>of Emergency Action Codes", "Australia Inventory of Chemical Substances (AICS)", "OECD List of High Production Volume (HPV)<br>Chemicals", "International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs", "OSPAR National List of<br>Candidates for Substitution – Norway", "Belgium Federal Public Service Mobility and Transport, Regulations concerning the International<br>Carriage of Dangerous Goods by Rail - Table A: Dangerous Goods List - RID 2013 (Dutch)", "Australia National Pollutant Inventory", "IMO IBC<br>Code Chapter 18: List of products to which the Code does not apply", "Sigma-AldrichTransport Information", "Australia High Volume Industrial<br>Chemical List (HVICL)", "United Nations Recommendations on the Transport of Dangerous Goods Model Regulations (Spanish)", "OECD<br>Existing Chemicals Database", "GESAMP/EHS Composite List - GESAMP Hazard Profiles", "Australia Dangerous Goods CADG (ADG Code) -<br>Dangerous Goods List", "International Air Transport Association (IATA) Dangerous Goods Regulations", "Australia Hazardous Substances<br>Information System - Consolidated Lists", "IMO IBC Code Chapter 17: Summary of minimum requirements", "Acros Transport<br>Information", "International Fragrance Association (IFRA) Survey: Transparency List" |
|---|---|
| water(7732-18-5) is found on the following regulatory lists | "WHO Model List of Essential Medicines - Adults", "Australia Inventory of Chemical Substances (AICS)", "OECD List of High Production Volume<br>(HPV) Chemicals", "OSPAR National List of Candidates for Substitution – Norway", "IMO IBC Code Chapter 18: List of products to which the<br>Code does not apply", "Sigma-AldrichTransport Information", "Australia High Volume Industrial Chemical List (HVICL)", "International Fragrance<br>Association (IFRA) Survey: Transparency List"  |

#### **SECTION 16 OTHER INFORMATION**

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net/references

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.